



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5562619
Dated/दिनांक : 30-10-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	20-11-2024 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	20-11-2024 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Education
Department Name/विभाग का नाम	Department Of Higher Education
Organisation Name/संगठन का नाम	National Institute Of Technology (nit)
Office Name/कार्यालय का नाम	M G Avenue , Durgapur 713209, Wb
Total Quantity/कुल मात्रा	838
Item Category/मद केटेगरी	Aquaguard 20inch Candle , Aquaguard 20inch AC Block , Aquaguard 10inch Candle , Aquaguard Carbon Block Classic , Aquaguard Carbon Block Nova , Heptapure Cartridge 10inch , Smart UV kit Cristal Plus Kit , 10inch Duel Cartridge Blue star , 10inch Spun Blue star , 10inch carbon block blue star , Aquaguard Classic SMPS PCB , Aquaguard 200 hitflow PCB main , Aquaguard 200 hitflow PCB display , Aquaguard DX PCB , Aquaguard UV Lamp 8watt , Aquaguard UV Lamp 16watt , AC DC Adapter 2.5 DC , 3 by 4 Nut Nozel , Vista UV Kit , Solenoid Valve with Coil , Solenoid Valve without Coil P , Aquaguard EVA Tube , Aquaguard PL 4 Pipe , Aquaguard PL 8 Pipe , Pushing type Bib Cock CP for Water Purifier 15mm , Stepdown Classic PCB , Taplon Tape 10nos each bundle , Connector bothside push PL8 , Connector T type , Whose Clip , Photo Register , Aquaguard AG 600 DF UV lamp 30watt , Aquaguard AG 600 DF PCB
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	Aquaguard 20inch Candle, Aquaguard 20inch AC Block, Aquaguard 10inch Candle, Aquaguard Carbon Block Classic, Aquaguard Carbon Block Nova, Heptapure Cartridge 10inch, Smart UV kit/Cristal Plus Kit, 10inch Duel Cartridge Blue star, 10inch Spun Blue star, 10inch carbon block blue star, Aquaguard Classic SMPS PCB, Aquaguard 200 hitflow PCB main, Aquaguard 200 hitflow PCB display, Aquaguard DX PCB, Aquaguard UV Lamp 8watt, Aquaguard UV Lamp 16watt, AC/DC Adapter 2.5 DC, 3/4 Nut Nozel, Vista UV Kit, Solenoid Valve with Coil, Solenoid Valve without Coil P, Aquaguard EVA Tube, Aquaguard PL 4 Pipe, Aquaguard PL 8 Pipe, Pushing type Bib Cock CP for Water Purifier 15mm, Stepdown Classic PCB, Taplon Tape 10nos each bundle, Connector bothside push PL8, Connector T type, Whose Clip, Photo Register, Aquaguard AG 600 DF UV lamp 30watt, Aquaguard AG 600 DF PCB

Bid Details/विड विवरण	Searched String: Aquaguard 20inch Candle
	<p>Electric Candle, Cleaning Duster (V2), Wax Candle as per IS 11359, Digital Physiograph System, Votive Candle Holders-Handicraft, All in One PC, Votive Candle Holders-Handicraft, Tea Light Candle Holders-Handicraft, Bucket Mop Wringer Trolley, Tea Light Candle Holders-Handicraft</p> <p>Searched String: Aquaguard 20inch AC Block</p> <p>Activity Block, Towel Hand Cotton Turkish (IAF), Activity Block (V2)-Toys, Portable Voice Recorder, Pattern Block Games or Activity Sets (V2), Bag Kit Universal (IAF), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V2) as per IS 16240, Belt Waist Synthetic (ICK) (IAF), Analog-Digital Circuits Development Platform, continuous plexus anaesthesia sets anesthesia nerve block trays or needles</p> <p>Searched String: Aquaguard 10inch Candle</p> <p>Electric Candle, Cleaning Duster (V2), Wax Candle as per IS 11359, Brush for Road Sweeper Machine, Votive Candle Holders-Handicraft, Desktop Computers, Votive Candle Holders-Handicraft, Surgical Instruments - Magill Forceps, Tea Light Candle Holders-Handicraft, All in One PC</p> <p>Searched String: Aquaguard Carbon Block Classic</p> <p>K - 4 Crash Rated Blocking Bollard, EXTERNAL MICROMETERS</p> <p>Searched String: Aquaguard Carbon Block Nova</p> <p>K - 4 Crash Rated Blocking Bollard, General Purpose Ball Valves (V2)</p> <p>Searched String: Heptapure Cartridge 10inch</p> <p>Cartridge Heater, Cleaning Duster (V2), Filter Cartridge, Brush for Road Sweeper Machine, Ion Exchange Cartridge, Cartridge Check Valve, Surgical Instruments - Magill Forceps, Wound Filter Cartridge, HF RFID Integrated Reader, Polypropylene Cartridge Filter</p> <p>Searched String: Smart UV kit/Cristal Plus Kit</p> <p>Manual Vacuum Aspiration (MVA) Set, Smart Phone with MDM / EMM / SDK as per IS 13252, Toner Cartridges / Ink Cartridges / Consumables for Printers</p> <p>Searched String: 10inch Duel Cartridge Blue star</p> <p>Bio - Medical Waste Collection Bags (Biohazard Bags), Digital Physiograph System, hot or cold water dispenser, Split Air Conditioner Including Green AC, Wall Mount Type, Cat 6 Patch cord, PVC molded stool, Domestic Water Heater - Geyser as per IS 2082, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Ultra low temperature laboratory deep freezer, Hot / Cold Water Dispenser (V2)</p> <p>Searched String: 10inch Spun Blue star</p> <p>Bio - Medical Waste Collection Bags (Biohazard Bags), Digital Physiograph System, hot or cold water dispenser, Split Air Conditioner Including Green AC, Wall Mount Type, Cat 6 Patch cord, PVC molded stool, Domestic Water Heater</p>

Bid Details/बिड विवरण

- Geyser as per IS 2082, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Ultra low temperature laboratory deep freezer, Hot / Cold Water Dispenser (V2)

Searched String: 10inch carbon block blue star

Bio - Medical Waste Collection Bags (Biohazard Bags), General Purpose Ball Valves (V2), hot or cold water dispenser, Welding Rod for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel as per IS 814, non carbonated beverage dispenser, Digital Physiograph System, Cat 6 Patch cord, Split Air Conditioner Including Green AC, Wall Mount Type, Commercial Idli Steamer, PVC molded stool

Searched String: Aquaguard Classic SMPS PCB

Category not available on GeM for the text string uploaded by the buyer

Searched String: Aquaguard 200 hitflow PCB main

Vasti Yanthram (Niruha) with Disposable Accessories - Kit For Panchakarma

Searched String: Aquaguard 200 hitflow PCB display

Soldering and Desoldering Station with digital display

Searched String: Aquaguard DX PCB

PCB Plating, Printed Circuit Board, PCB Prototype Machine, Printed circuit board storage rack, Potable Water Purification System with Inbuilt Water Cooler, Micro PCR MTB RIF Dx Test Kit, Point of Care Diagnostic Test Kit - Syphilis Rapid Test Kits, Bone Mineral Densitometer (V2), HCV (ELISA) Test Kits, Dielectric Constant Kit for Solids

Searched String: Aquaguard UV Lamp 8watt

UV - C Disinfection System (V2), Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Potable water purification system Reverse Osmosis or UV based, Wall lamp, Drinking Water Coolers With Built In Water Purification System (Uv Or Ro), Potable Water Purification System with Inbuilt Water Cooler, Hand Lamp, Pedestral lamp, Led post top lantern, Infrared Lamp For Panchakarma

Searched String: Aquaguard UV Lamp 16watt

UV - C Disinfection System (V2), Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Potable water purification system Reverse Osmosis or UV based, Wall lamp, Drinking Water Coolers With Built In Water Purification System (Uv Or Ro), Potable Water Purification System with Inbuilt Water Cooler, Hand Lamp, Pedestral lamp, Led post top lantern, Infrared Lamp For Panchakarma

Searched String: AC/DC Adapter 2.5 DC

5-5 Dithiobis -2-2 Nitrobenzoic Acid, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Measuring Instrument (BHEL), LED Based Indicating Lamp for Panel Cut Outs, 5-Sulfosalicylic acid, 4.5mm Narrow D.C. Plate with corresponding screws, Single Operator AC and DC Arc

Result generated in GeMARPTS	Bid Details/As per
	<p>Welding Transformers GTAW Welding Machine as per IS 6008, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), 4.5mm Broad D.C. Plate with corresponding screws, Improved PT Shoes (V2) (Indian Navy)</p> <p>Searched String: 3/4 Nut Nozel</p> <p>Methyl 4 Hydroxybenoate (Methylparaben), Electrical Box Extension (V2), Metanil Yellow, Desktop Computers, Sulphanilic Acid, modular electrical switches and accessories, Fluorescent Lamps (Fluorescent Tubular Lamps) as per IS 2418 (Part 1, 2, 3 and 4), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Blood Sample Collection Tubes</p> <p>Searched String: Vista UV Kit</p> <p>transilluminators uv, Potable Water Purification System with Inbuilt Water Cooler, UV Light, Composite Filling Dental Instruments Kit (V2) - RBSK, Potable Water Purification System UV or UV and UF, personal safety kit reflective luminous garments, UV - Visible Spectrophotometer (FSSAI), Toner Cartridges / Ink Cartridges / Consumables for Printers, UV - C Disinfection System (V2), Biochemistry Reagent Kits</p> <p>Searched String: Solenoid Valve with Coil</p> <p>Solenoid Valve (V2), Portable Toilet, Solenoid Valve with Spring Return In/Exhaust, Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Foot Valve (V2), Commercial CPVC Pipe Fittings, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Check Valve as per IS 778</p> <p>Searched String: Solenoid Valve without Coil P</p> <p>Solenoid Valve (V2), Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Solenoid Valve with Spring Return In/Exhaust, Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator, Office Chair (V3), Revolving Chair (V4), Public Place Seating Chair, Particulate Respiratory Mask - FFP as per IS 9473:2002</p> <p>Searched String: Aquaguard EVA Tube</p> <p>EVA WHEELS, Blood Sample Collection Tubes, Eva Ball Soft (Preschool Kit), Yoga Mats, Polyurethane Tube, Public Place Seating Chair, Fusion Tube, Squeegee Washer Wiper Mopper (V2), chest tube, centrifuge tubes</p> <p>Searched String: Aquaguard PL 4 Pipe</p> <p>Pipe Cutter, Parallel Bar - Outdoor Gym Equipment, Pipe Vice as per IS 2587, Wild - Life Cages, Commercial CPVC Pipe Fittings, CPVC Industrial Pipe Fittings, Schedule 80, Hexagon Socket Pipe Plugs-IS:9645, Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), Plastic Sheet (4 x 50 m) for NDRF, Hand Operated Hydraulic Pipe Bender</p> <p>Searched String: Aquaguard PL 8 Pipe</p> <p>Pipe Cutter, Hand Operated Hydraulic Pipe Bender, Pipe Vice</p>

Bid Details/As per	as per IS 2587, Non Sparking Pipe Wrench (V2), Commercial CPVC Pipe Fittings, Drill Pipes(Pertroleum Industry),
	<p>Hexagon Socket Pipe Plugs-IS:9645, Seamless Ferritic Alloy - Steel Pipe for High - Temperature Service, Chain Pipe Wrenches as per IS 4123, CPVC Industrial Pipe Fittings, Schedule 80</p> <p>Searched String: Pushing type Bib Cock CP for Water Purifier 15mm</p> <p>Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, D and C Set, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Plug Cock for Water Supply Purpose as per IS 3004</p> <p>Searched String: Stepdown Classic PCB</p> <p>PCB Plating, Geological compass, PCB Prototype Machine, bar code reader equipment, Printed circuit board storage rack, books, Classic Games Or Foam Cutouts (V2)-Toys, Pillows - Synthetic, Printed Circuit Board, Ayurvedic Classical Medicines - Choorna</p> <p>Searched String: Taplon Tape 10nos each bundle</p> <p>Bucket Mop Wringer Trolley, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Transparent Tape (V2), Mobile Toilet, Elastic Surgical Adhesive Tapes (V2), Taflon Tape as per IS 14635, Brush for Road Sweeper Machine, Stapler Pin / Staples (V2), Permeable Nonwoven Surgical Adhesive Tape, Correction Tape</p> <p>Searched String: Connector bothside push PL8</p> <p>Cardiopulmonary Bypass Connectors, Cardiopulmonary Bypass Connectors (V2), Flushing Cistern</p> <p>Searched String: Connector T type</p> <p>Hose connector, Correspondence Envelopes (V2), Profibus Connector, SMA connector, Muffle Furnace, RCA connector, Mobile Containers for Solid Waste as per IS 12402, Connector Glass, Steel Clothes Lockers (Version 2) as per IS 3314, T Bulb</p> <p>Searched String: Whose Clip</p> <p>Clip (BHEL), Filtering Half Mask-Air Pollution Mask-IS 9473, Cable Nail Clip, books, Elastic Rail Clip, surgical isolation or surgical masks, Open / Endo Clip Applicator, Squeegee Washer Wiper Mopper (V2), Circlips - IS 3075, Report Cover</p> <p>Searched String: Photo Register</p> <p>Register (V2), Diaries Printed - Plain - Register, MINUTE REGISTER, Photo Frame, Photo stickers or Stickers, Photo Cutter, Hard disk drives, Electronic Cash Register, Photo Frames-Handicraft, bar code reader equipment</p> <p>Searched String: Aquaguard AG 600 DF UV lamp 30watt</p> <p>Portable UV Disinfection Box for smart phone and accessories</p> <p>Searched String: Aquaguard AG 600 DF PCB</p>

अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Underpad • Filter Cartridge
BOQ Title/बीओक्यू शीर्षक	WATER PURIFIER SPARES
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	2 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Aquaguard 20inch Candle
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is

not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Aquaguard 20inch Candle

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	100	15

Aquaguard 20inch AC Block

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	100	15

Aquaguard 10inch Candle

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	50	15

Aquaguard Carbon Block Classic

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	25	15

Aquaguard Carbon Block Nova

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	25	15

Heptapure Cartridge 10inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	15	15

Smart UV Kit Cristal Plus Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	15

10inch Duel Cartridge Blue Star

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	12	15

10inch Spun Blue Star

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	12	15

10inch Carbon Block Blue Star

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	12	15

Aquaguard Classic SMPS PCB

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	15	15

Aquaguard 200 Hitflow PCB Main

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	15

Aquaguard 200 Hitflow PCB Display

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	15

Aquaguard DX PCB

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	6	15

Aquaguard UV Lamp 8watt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	20	15

Aquaguard UV Lamp 16watt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	15	15

AC DC Adapter 2.5 DC

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	15

3 By 4 Nut Nozel

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	30	15

Vista UV Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	20	15

Solenoid Valve With Coil

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	15

Solenoid Valve Without Coil P

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	15

Aquaguard EVA Tube

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	15	15

Aquaguard PL 4 Pipe

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	30	15

Aquaguard PL 8 Pipe

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	40	15

Pushing Type Bib Cock CP For Water Purifier 15mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	60	15

Stepdown Classic PCB

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	15

Taplon Tape 10nos Each Bundle

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	15

Connector Bothside Push PL8

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	20	15

Connector T Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	20	15

Whose Clip

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	100	15

Photo Register

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	15

Aquaguard AG 600 DF UV Lamp 30watt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	15

Aquaguard AG 600 DF PCB

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of

this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---