

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	17-11-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	18-11-2026 18:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	National Institute Of Technology (nit)
कार्यालय का नाम/Office Name	M G Avenue , Durgapur 713209, Wb
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :registrar.nitdgpr@gov.in Buyer Email id: gkumar.me@nitdgp.ac.in
कुल मात्रा/Total Quantity	420

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

Micropipettes Volume range 5 to 50 ul, C3 lightweight , Multi Foil Gas Sampling Bag , Centrifuge tube 0.5 mL , Centrifuge tube 2 mL , Centrifuge tube 1.5 mL , Centrifuge tube 50 mL , CERTIFIED SAMPLING and STORAGE VIAL 10 ml Approx , CERTIFIED SAMPLING and STORAGE VIAL, CLEAR 15ml approx , Test Tube Stand, PC, Autoclavable 32 mm dia , Test tube 18mm x 150mm 27 ml , Magnetic Beads Teflon coated 25x8 mm , Measuring CYLINDERS 5 ml Borosilicate glass 3.3 , Measuring CYLINDERS 10 ml Borosilicate glass 3.3 , Measuring CYLINDERS 25 ml Borosilicate glass 3.3 , Measuring CYLINDERS 50 ml Borosilicate glass 3.3 , Measuring CYLINDERS 100 ml Borosilicate glass 3.3 , Vacuum desiccator 300 mm , Narrow mouth Wash Bottle with Long Stem nozzle, LDPE, 500 ml , Beaker, PP, 2000 ml , Beaker, PP, 5000 ml , Rack for Micro Tube, RPP, 1.5 ml , Nitrile Gloves Powder Free, Medium , Kimwipes Disposable Wipes, 11.17 x 21.3 cm , UV quartz Cuvette , FL Cuvette , Conical flask 50 ml , Conical flask 100 ml , Beaker 25ml , Watch glass , Volumetric 100 ml , Glass Syringe , Schleck Kjeldahl reaction and storage flask Capacity 50 mL , Schleck Kjeldahl reaction and storage flask Capacity 25mL , Precision Seal natural rubber septa white, 14 by 20 joints , Round Bottom Flask 100ML, borosilicate glass, joint 24 , Glass dropper with tip , Volumetric Flask, 10 mL , Volumetric Flask, 100 mL , glass vial, 15 mL, borosilicate glass , Capillary for TLC Check , glass vial, 5 mL , Cuvette for UV-Vis spectroscopy, Quartz, 2 sides transparent , Pressure Tubes , Glass microfibers filters papers GFA 25mm , Glass microfibers filters papers GFA 47mm , Syringe Filters holder 25mm , Funnel for filberts holder Capacity 300ml , Filter support base for filter holder , Micropipette Tips 100-1000ul , Micropipette Tips 1-5ul , Glass Vails , UV Quartz cuvette , Dinoware Micro Centrifuge Tube , Volumetric flask , Micropipette , Fluorescence cuvette , Teflon lined Hydrothermal autoclave , Pressure Tubes Front Seal with 30percent Glass filled PTFE Cap and FFKM FKM O-ring , Micropipettes Volume range 0.5-10 ul, C3 lightweight , SYRINGE FILTER PVDF Membrane PV, pore size 0.2 um, diameter 13 mm , Two finger clamp, Zinc pressure die casted , Three finger clamp, Aluminium pressure die casted , Regular bosshead Zinc PDC , Round boss head Zinc PDC , Test tube 19mm x 125mm 25 ml , Test tube 25mm x 100mm 38 ml , Forceps, Blunt dissecting, 6inch , Forceps, Blunt dissecting, 8inch , Forceps, Pointed dissecting, 5inch , Forceps, Pointed dissecting, 6inch , ALLIHN CONDENSER with Drip Tip 24 by 29 Borosilicate glass 3.3 , ALLIHN CONDENSER with Drip Tip 19 by 26 Borosilicate glass 3.3 , Magnetic Beads Teflon coated 20x8mm , S LINE PETRI DISHES

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Micropipettes Volume range: 5-50 ul, C3 lightweight, Multi Foil Gas Sampling Bag, Centrifuge tube 0.5 mL, Centrifuge tube 2 mL, Centrifuge tube 1.5 mL, Centrifuge tube 50 mL, CERTIFIED SAMPLING & STORAGE VIAL 10 ml Approx, CERTIFIED SAMPLING & STORAGE VIAL, CLEAR 15ml approx, Test Tube Stand, PC, Autoclavable 12 places, Tube diameter 32 mm , Centrifuge tube 1.5 mL, Centrifuge tube 50 mL, Centrifuge tube 0.5 mL, Test tube 18mm x 150mm (27 ml), Magnetic Beads Teflon coated 25x8 mm, Measuring CYLINDERS 5 ml (Borosilicate glass 3.3), Measuring CYLINDERS 10 ml (Borosilicate glass 3.3), Measuring CYLINDERS 25 ml (Borosilicate glass 3.3), Measuring CYLINDERS 50 ml (Borosilicate glass 3.3), Measuring CYLINDERS 100 ml (Borosilicate glass 3.3), Vacuum desiccator 300 mm, Narrow mouth Wash Bottle with Long Stem nozzle, LDPE, 500 ml, Beaker, PP, 2000 ml, Beaker, PP, 5000 ml, Rack for Micro Tube, RPP, 1.5 ml, Nitrile Gloves Powder Free, Medium, Kimwipes Disposable Wipes, 11.17 x 21.3 cm, UV quartz Cuvette, FL Cuvette, Conical flask (50 ml), Conical flask (100 ml), Beaker (25ml), Watch glass, Volumetric 100 ml, Glass Syringe, Schleck Kjeldahl reaction and storage flask Capacity 50 mL , Schleck Kjeldahl reaction and storage flask Capacity 25mL , Precision Seal natural rubber septa white, 14/20 joints , Round Bottom Flask (100ML), borosilicate glass, joint 24 , Glass dropper with tip, Volumetric Flask, 10 mL, Volumetric Flask, 100 mL, glass vial, 15 mL, borosilicate glass , Capillary for TLC Check, glass vial, 5 mL, Cuvette for UV-Vis spectroscopy, Quartz, 2 sides transparent , Pressure Tubes, Glass microfibers filters papers GF/A (25mm), Glass microfibers filters papers GF/A (47mm), Syringe Filters holder (25mm), Funnel for filberts holder (Capacity 300ml), Filter support base for filter holder, Micropipette Tips, Micropipette Tips, Glass Vials, UV Quartz cuvette, Dinoware Micro Centrifuge Tube, Volumetric flask, Micropipette, Micropipette, Fluorescence cuvette, Teflon lined Hydrothermal autoclave, Pressure Tubes Front Seal with 30% Glass filled PTFE Cap and FFKM/ FKM O-ring, Micropipettes Volume range: 0.5-10 ul, C3 lightweight, SYRINGE FILTER PVDF Membrane: PV, pore size: 0.2 um, diameter 13 mm , Two finger clamp, Zinc pressure die casted, Three finger clamp, Aluminium pressure die casted, Regular bosshead Zinc PDC, Round boss head Zinc PDC, Test tube 18mm x 150mm (27 ml), Test tube 19mm x 125mm (25 ml), Test tube 25mm x 100mm (38 ml), Forceps, Blunt dissecting, 6, Forceps, Blunt dissecting, 8, Forceps, Pointed dissecting, 5, Forceps, Pointed dissecting, 6, ALLIHN CONDENSER with Drip Tip 24 / 29 (Borosilicate glass 3.3), ALLIHN CONDENSER with Drip Tip 19 / 26 (Borosilicate glass 3.3), Magnetic Beads Teflon coated 20x8mm, Magnetic Beads Teflon coated 25x8 mm, Measuring CYLINDERS 5 ml (Borosilicate glass 3.3), Measuring CYLINDERS 10 ml (Borosilicate glass 3.3), Measuring CYLINDERS 25 ml (Borosilicate glass 3.3), Measuring CYLINDERS 50 ml (Borosilicate glass 3.3), Measuring CYLINDERS 100 ml (Borosilicate glass 3.3), S LINE PETRI DISHES, Vacuum desiccator 300 mm Searched String: Micropipettes Volume range: 5-50 ul, C3 lightweight Incubator (FSSAI)

बिड विवरण/Bid Details	Searched String: Multi Foil Gas Sampling Bag
	Multi Gas Detector (V1), Lab Multi Sample Thermal Mixer, Bag Calico- OFB, Under Water Sealed Chest Drainage System (Bag), Aluminium Barrier Laminated Bags, Lab Multi Sample Mixer, High Temperature Furnace with Gas - Programmable Single / Multi Zone / Sliding Tube Furnace (V2) Searched String: Centrifuge tube 0.5 mL Centrifuge Tubes (V3), Endotracheal Tube - Sterile (Single Use), PCR Tube Storage Racks, Blood Collection Tube, PCR Tube Storage Racks (V2), Medical Centrifuge, CNC/NC Pipe and Tube Bending Machine, Urine Collection Bag - Sterile (Single Use), Gaseous Fire Extinguishing System Conforming to IS 15493, Muffle/Box Furnace (V2) Searched String: Centrifuge tube 2 mL Centrifuge Tubes (V3), Blood Collection Tube, PCR Tube Storage Racks, Medical Centrifuge, PCR Tube Storage Racks (V2), Endotracheal Tube - Sterile (Single Use), Steel Sockets confirming to IS 1239 (Part 2), Union Bends confirming to IS 1239 (Part 2), PCR Tubes, Longscrews confirming to IS 1239 (Part 2) Searched String: Centrifuge tube 1.5 mL Centrifuge Tubes (V3), Endotracheal Tube - Sterile (Single Use), PCR Tube Storage Racks, Blood Collection Tube, PCR Tube Storage Racks (V2), Medical Centrifuge, Gaseous Fire Extinguishing System Conforming to IS 15493, Household Insecticides (V2), Octyl Alcohol (V2), Urine Collection Bag - Sterile (Single Use) Searched String: Centrifuge tube 50 mL Centrifuge Tubes (V3), Blood Collection Tube, PCR Tube Storage Racks, Laboratory Vials (V3), PCR Tube Storage Racks (V2), Medical Centrifuge, Wrought Aluminium and Aluminium Alloy Bars, Rods, Tubes, Sections, Plates and Sheets for Electrical Application - IS 5082, Cefixime Oral Liquid, Cast Iron Bench, Shaker Incubator Searched String: CERTIFIED SAMPLING & STORAGE VIAL 10 ml Approx DNA marker, Carboplatin Injection (V2), Laboratory Vials (V3), Tissue Homogenizer Searched String: CERTIFIED SAMPLING & STORAGE VIAL, CLEAR 15ml approx Category not available on GeM for the text string uploaded by the buyer Searched String: Test Tube Stand, PC, Autoclavable 12 places, Tube diameter 32 mm Multipurpose or General Test Tubes (V2) as per IS 2618, Culture Tube With Screw Cap (V2) Searched String: Centrifuge tube 1.5 mL Centrifuge Tubes (V3), Endotracheal Tube - Sterile (Single Use), PCR Tube Storage Racks, Blood Collection Tube, PCR Tube Storage Racks (V2), Medical Centrifuge, Gaseous Fire

बिड विवरण/Bid Details	Extinguishing System Conforming to IS 15493, Household Insecticides (V2), Octyl Alcohol (V2), Urine Collection Bag - Sterile (Single Use)
	Searched String: Centrifuge tube 50 mL Centrifuge Tubes (V3), Blood Collection Tube, PCR Tube Storage Racks, Laboratory Vials (V3), PCR Tube Storage Racks (V2), Medical Centrifuge, Wrought Aluminium and Aluminium Alloy Bars, Rods, Tubes, Sections, Plates and Sheets for Electrical Application - IS 5082, Cefixime Oral Liquid, Cast Iron Bench, Shaker Incubator Searched String: Centrifuge tube 0.5 mL Centrifuge Tubes (V3), Endotracheal Tube - Sterile (Single Use), PCR Tube Storage Racks, Blood Collection Tube, PCR Tube Storage Racks (V2), Medical Centrifuge, CNC/NC Pipe and Tube Bending Machine, Urine Collection Bag - Sterile (Single Use), Gaseous Fire Extinguishing System Conforming to IS 15493, Muffle/Box Furnace (V2) Searched String: Test tube 18mm x 150mm (27 ml) Dry Erase Writing Boards (V3), Self Inking Rubber Stamp (V2), Endotracheal Tube - Sterile (Single Use), Ring Wrenches (V2) as Per Is 2029, Pin Up Notice Board (V2), The Indian National Flag as per IS 1, Bunk Beds conforming to IS 17636, Open Jaw Wrenches (Spanners) (V3) As Per IS 2028, Correspondence Envelopes (V3) Conforming to IS 13892, modular electrical enclosure switch board boxes for modular type accessories Searched String: Magnetic Beads Teflon coated 25x8 mm Dry Erase Writing Boards (V3), Combination Board (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Thermal Paper (V3) Conforming to IS 17568 Searched String: Measuring CYLINDERS 5 ml (Borosilicate glass 3.3) Blood Collection Tube, Measuring Mug / Cup, Extraction Apparatus, Tissue Homogenizer Searched String: Measuring CYLINDERS 10 ml (Borosilicate glass 3.3) Extraction Apparatus, Measuring Mug / Cup, Peristaltic Pump Searched String: Measuring CYLINDERS 25 ml (Borosilicate glass 3.3) Extraction Apparatus, Measuring Mug / Cup Searched String: Measuring CYLINDERS 50 ml (Borosilicate glass 3.3) Extraction Apparatus, Measuring Mug / Cup Searched String: Measuring CYLINDERS 100 ml (Borosilicate glass 3.3) Extraction Apparatus, Measuring Mug / Cup Searched String: Vacuum desiccator 300 mm

बिड विवरण/Bid Details	
	Laboratory Desiccator (V2), XLPE Cable for Working Voltage up to and including 1.1 KV Marked To IS 7098 (Part 1), Electronic Baby Weighing Scale - RBSK, Pin Up Notice Board (V2), Wooden Lab Stools, Shallow Sterilizer (Dressing Drum), Vacuum Filtration Assembly, Ultrasonic Thickness Gauge, Shredding Machine/Paper Shredder, Leather Gauntlets and Mittens (V2) Conforming to IS 2573 Searched String: Narrow mouth Wash Bottle with Long Stem nozzle, LDPE, 500 ml Plastic Wash Bottle Searched String: Beaker, PP, 2000 ml Urine Collection Bag - Sterile (Single Use), Plastic Pouches, Shaker Incubator, Polypropylene (PP) Sheet (V2), Domestic Mugs - Bathroom, Laboratory Magnetic Stirrer (V2), Water Jugs, Laboratory Glassware Volumetric Flask, Touchless Sanitizer Dispenser, Bottle for Chemical Laboratory Searched String: Beaker, PP, 5000 ml Domestic Mugs - Bathroom, FPO - Spices And Condiments - Turmeric, Whole And Ground As Per IS 3576, Laboratory Magnetic Stirrer (V2), Alcohol Based Hand Sanitizer, Touchless Sanitizer Dispenser, Toilet Cleaner Liquid (V3) conforming to IS 7983, High Level Medical Device Disinfectant, Scouring Products for Utensil Cleaning- Dishwash (V3) Conforming to IS 6047 Searched String: Rack for Micro Tube, RPP, 1.5 ml Theft Proof Rifle Racks, Minifuge, PCR Mini Cooler Searched String: Nitrile Gloves Powder Free, Medium Nitrile Coated/Nitrile Hand Gloves (V2), Radiation Protection Gloves, Hospitals Cleaning Gloves, Cotton Canvas Hand Gloves (SAIL), Thermal Gloves as per Defence specification, General Purpose Hand Gloves (V2) Searched String: Kimwipes Disposable Wipes, 11.17 x 21.3 cm Handloom Cotton Sponge Cloth as per IS 860, Handloom Cotton Sponge Cloth (V2) conforming to IS 860 Searched String: UV quartz Cuvette Cuvettes, SPECTROPHOTOMETER, Quartz Plate,Disc,Crucible,Wafer, UV - Visible Spectrophotometer (FSSAI), transilluminators uv, Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2), UV Light, Quartzite/Quartz for the production of Ferroalloys (V2) Conforming to IS 13054, Toner Cartridges / Ink Cartridges / Consumables for Printers, UV Sterilization Cabinet (V2) Searched String: FL Cuvette Cuvettes, Cuvettes (V2), UV - Visible Spectrophotometer (FSSAI), Atta (आटा), Engine Driven Floating Centrifugal Pump (Hydraulic Pump), Blind flange, Pearl Millet Flour or Bajra Flour (V2) (Defence), Sorghum Flour or Jowar Flour (V2) (Defence), LED Flasher Relay, Potassium Fluoride Searched String: Conical flask (50 ml)

बिड विवरण / Bid Details	Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2) (V2), Shaker Incubator,
	Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Laboratory Glassware Volumetric Flask, Laboratory Glassware - Narrow-Naked Boiling Flasks (V2) marked to IS 1381 (Part 1), Urine Collection Bag - Sterile (Single Use), Domestic Vacuum Flasks (V2) conforming to IS 7708, Laboratory Glassware - Burettes (V2) as per IS 1997, Urine Culture Bottle (V2), Bottle for Chemical Laboratory Searched String: Conical flask (100 ml) Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2) (V2), Shaker Incubator, Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Laboratory Glassware - Narrow-Naked Boiling Flasks (V2) marked to IS 1381 (Part 1), Laboratory Glassware Volumetric Flask, Urine Collection Bag - Sterile (Single Use), Measured Volume Set (V2), Domestic Vacuum Flasks (V2) conforming to IS 7708, Tissue Homogenizer, Alcohol Based Hand Sanitizer Searched String: Beaker (25ml) Laboratory Beakers (V3) Confirming to IS 2619, Shaker Incubator, Teflon Beaker with Lid, Laboratory Glassware - Burettes (V2) as per IS 1997, Stainless Steel Jugs (Defence), Electronic Weighing Scales, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Blood Collection Tube, Urine Collection Bag - Sterile (Single Use), Medical Centrifuge Searched String: Watch glass Watch Cases, Environmental Chamber, Wrist Watch, Plastic Moulded Watch Box, Modular Table / Meeting Table / Centre Table (V2), Wrist Watch and Watch Movements for Quartz Mechanical Watches conforming to IS 13130 (Part 2), Wrist Watch and Watch Movements for Mechanical Watches conforming to IS 13130 (Part 1), Wrist Watch Dials, Wooden Display cabinet with Glass Doors, Leather Watch Straps Searched String: Volumetric 100 ml Volumetric Infusion Pump, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Laboratory Glassware Volumetric Flask, Volumetric Pipettes as per IS 1117, Cotton Towelling And Towels Conforming To IS 7056 (V4), Charge Fire Extinguisher AFFF 550 ML (Defence), Shaker Incubator, Laboratory Glassware - Volumetric Flask (V2) marked to IS 915, Laboratory Hot Air Oven (V2), PT 100 DUPLEX RTD (Air Circuit) (BHEL) Searched String: Glass Syringe Syringe Filter, Environmental Chamber, Insulin Syringe, Sterile Hypodermic Syringe (V3), Gas Chromatography Syringe, Modular Table / Meeting Table / Centre Table (V2), Syringe Filter (V2), Manual Needle Cum Syringe Hub Destroyer, Research Syringe pump, Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1) Searched String: Schleck Kjeldahl reaction and storage flask Capacity 50 mL

बिड विवरण / Bid Details	Shaker Incubator, Reverse Osmosis based Water Treatment System above 50 LPH Capacity, Laboratory Glassware - Burettes (V2) as per IS 1997
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: Schleck Kjeldahl reaction and storage flask Capacity 25mL Shaker Incubator, Polypropylene Document office record container, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257 Searched String: Precision Seal natural rubber septa white, 14/20 joints Category not available on GeM for the text string uploaded by the buyer Searched String: Round Bottom Flask (100ML), borosilicate glass, joint 24 Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2) (V2), Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Laboratory Glassware - Narrow-Naked Boiling Flasks (V2) marked to IS 1381 (Part 1) Searched String: Glass dropper with tip Dropping Bottle with Tip Cap (V2), Environmental Chamber, Glass Column with Stopcock, Auditorium Chair (V2), Laboratory Glass Adapters, Modular Table / Meeting Table / Centre Table (V2), Wooden Display cabinet with Glass Doors, Dental Curing light gun, Laboratory Glass Adapters (V2), Yankauer Suction Set Searched String: Volumetric Flask, 10 mL Laboratory Glassware Volumetric Flask, Shaker Incubator, Laboratory Glassware - Volumetric Flask (V2) marked to IS 915, Urine Collection Bag - Sterile (Single Use), Laboratory Glassware - Burettes (V2) as per IS 1997, Domestic Vacuum Flasks (V2) conforming to IS 7708, Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Laboratory Glassware - Narrow-Naked Boiling Flasks (V2) marked to IS 1381 (Part 1), Blood Collection Tube, Plastic Bottles Water Bottle With Carry Bag For Cpmf (MHA) Searched String: Volumetric Flask, 100 mL Laboratory Glassware Volumetric Flask, Shaker Incubator, Laboratory Glassware - Volumetric Flask (V2) marked to IS 915, Urine Collection Bag - Sterile (Single Use), Measured Volume Set (V2), Domestic Vacuum Flasks (V2) conforming to IS 7708, Tissue Homogenizer, Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Laboratory Glassware - Narrow-Naked Boiling Flasks (V2) marked to IS 1381 (Part 1), Alcohol Based Hand Sanitizer Searched String: glass vial, 15 mL, borosilicate glass Glass Weighing Bottles as per IS 1574, Serological Pipettes and Graduated Pipettes as per IS 4364, Multipurpose or General Test Tubes (V2) as per IS 2618, Volumetric Pipettes as per IS 1117, Vacuum Filtration Assembly, Laboratory

बिड विवरण / Bid Details	Beakers (V3) Confirming to IS 2619, Glass Tableware (V2) Conforming to IS 1961, Glass Cleaner, Liquid (V3)
	conforming to IS 8540, Extraction Apparatus, GLACIAL ACETIC ACID Searched String: Capillary for TLC Check Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Gate, Globe And Check Valves For Water Work Purposes-IS:778, Swing Check Type Reflux (Non-Return) Valves for Water work purpose - IS 5312, Internal Storage Device (SSD/HDD) (V2) Searched String: glass vial, 5 mL Urine Collection Bag - Sterile (Single Use), Shaker Incubator, Heparin Injection, Blood Collection Tube, Levetiracetam Injection, DNA marker, Minifuge, Sterile Hypodermic Syringe (V3), Laboratory Vials (V3), Isopropyl Alcohol (2 - Propanol) Searched String: Cuvette for UV-Vis spectroscopy, Quartz, 2 sides transparent Category not available on GeM for the text string uploaded by the buyer Searched String: Pressure Tubes Pressure Extension Tubes for Medical Purpose, Endotracheal Tube - Sterile (Single Use), Cuff Pressure Manometer, Bicycle Tubes-IS: 2415, Blood Collection Tube, Cycle Rubber Tubes Marked to IS 2415, High Pressure Washer, Centrifuge Tubes (V3), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, microcentrifuge tubes Searched String: Glass microfibers filters papers GF/A (25mm) Shredding Machine/Paper Shredder, Laboratory Filter Papers (V2), Micro Fibre Glass Thimble, Cellulose Nitrate Filter Paper (V2), Thermal Binding Machines , Self Adhesive Flags (V3), Sign holders or stands, Plain Copier Paper (V3) ISI Marked to IS 14490, Multipurpose or General Test Tubes (V2) as per IS 2618 Searched String: Glass microfibers filters papers GF/A (47mm) Shredding Machine/Paper Shredder, Laboratory Filter Papers (V2), Multipurpose or General Test Tubes (V2) as per IS 2618, Cellulose Nitrate Filter Paper (V2), Thermal Binding Machines , Self Adhesive Flags (V3), Sign holders or stands Searched String: Syringe Filters holder (25mm) Syringe Filter, Cellulose Nitrate Filter Paper (V2), ID Card Holder (V2), Sign holders or stands, Funnel Plastic, Gas Chromatography Syringe, Vehicle Mounted Air Filter Searched String: Funnel for filberts holder (Capacity 300ml) Bottle for Chemical Laboratory, Laboratory Glassware - Burettes (V2) as per IS 1997, Plastic Bottles Water Bottle With Carry Bag For Cpmf (MHA)

बिड विवरण/Bid Details	Searched String: Filter support base for filter holder
	Filter cum Pressure Regulator, Fume extraction unit for filtration of soldering fumes, Oil filter assembly for wheel loader, C Band Pass Filter for POLNET Terminal (CRPF), Cartridge Filter for Lean Amine Filtration (MRPL), Vehicle Mounted Air Filter, Gravel for use as filter pack conforming to IS 4097, Electric Centrifugal Juicers marked to IS 4250 (BIS Scheme - I) Searched String: Micropipette Tips Universal Pipette Tips (V2), Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), Universal Pipette Tips (V3), Dental Applicator tips for bonding agent, Manual Single Channel Air Displacement Pipettors Or Micropipette (V3), Yankauer Suction Set, Saliva Ejector Suction Tips for Dental Use, Auditorium Chair (V2), Agricultural Trailer Complying to AIS 112, Guidewires (V2) Searched String: Micropipette Tips Universal Pipette Tips (V2), Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), Universal Pipette Tips (V3), Dental Applicator tips for bonding agent, Manual Single Channel Air Displacement Pipettors Or Micropipette (V3), Yankauer Suction Set, Saliva Ejector Suction Tips for Dental Use, Auditorium Chair (V2), Agricultural Trailer Complying to AIS 112, Guidewires (V2) Searched String: Glass Vails Glass Fuse, Environmental Chamber, Glass Beads, Safety Glass for Road Transport Marked to IS 2553 (Part 2), Glass Cloth, Modular Table / Meeting Table / Centre Table (V2), Glass Coasters, magnifying glass, Glass Fiber Fabric / Glass Cloth (V2), Wooden Display cabinet with Glass Doors Searched String: UV Quartz cuvette Cuvettes, SPECTROPHOTOMETER, Quartz Plate,Disc,Crucible,Wafer, UV - Visible Spectrophotometer (FSSAI), transilluminators uv, Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2), UV Light, Quartzite/Quartz for the production of Ferroalloys (V2) Conforming to IS 13054, Toner Cartridges / Ink Cartridges / Consumables for Printers, UV Sterilization Cabinet (V2) Searched String: Dinoware Micro Centrifuge Tube Refrigerated Micro - Centrifuge, Centrifuge Tubes (V3), Refrigerated Micro - Centrifuge (V2), Medical Centrifuge, Minifuge, Test Tube Rack, Refrigerated Centrifuge For General And Research Purpose, microcentrifuge tubes Searched String: Volumetric flask Laboratory Glassware Volumetric Flask, Shaker Incubator, Laboratory Glassware - Volumetric Flask (V2) marked to IS 915, flask stand, Volumetric Infusion Pump, Volumetric Pipettes as per IS 1117, Insulated Flask for Domestic use as per IS 17790, Domestic Vacuum Flasks (V2) conforming to IS 7708, Iodine Flask with Stopper, Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2)

बिड विवरण/Bid Details	Searched String: Micropipette
	Manual Single Channel Air Displacement Pipetters Or Micropipette (V2), Manual Single Channel Air Displacement Pipetters Or Micropipette (V3), Universal Pipette Tips (V2) Searched String: Micropipette Manual Single Channel Air Displacement Pipetters Or Micropipette (V2), Manual Single Channel Air Displacement Pipetters Or Micropipette (V3), Universal Pipette Tips (V2) Searched String: Fluorescence cuvette Fluorescence Spectrometer, Laboratory Incubators, Cuvettes, Flow Cytometer, Energy Dispersive X-ray Fluorescence Spectrometer [ED-XRF], Cuvettes (V2), Tubular Fluorescent Lamps Conforming To IS 2418 Searched String: Teflon lined Hydrothermal autoclave Hydrothermal Autoclave Reactor Searched String: Pressure Tubes Front Seal with 30% Glass filled PTFE Cap and FFKM/ FKM O-ring Category not available on GeM for the text string uploaded by the buyer Searched String: Micropipettes Volume range: 0.5-10 ul, C3 lightweight Muffle/Box Furnace (V2), Tissue Homogenizer Searched String: SYRINGE FILTER PVDF Membrane: PV, pore size: 0.2 um, diameter 13 mm Syringe Filter, Laboratory Filter Papers (V2) Searched String: Two finger clamp, Zinc pressure die casted Filter Regulator Lubricator Searched String: Three finger clamp, Aluminium pressure die casted Three Finger Clamps, magnetic stirrers, Appe Pan, Filter Regulator Lubricator, Led post top lantern Searched String: Regular bosshead Zinc PDC Category not available on GeM for the text string uploaded by the buyer Searched String: Round boss head Zinc PDC Retort Ring with Boss Head, Ready Mixed Paint, Air Drying, Red Oxide Zinc Chrome, Priming (V2) as per IS 2074, Wood screws, Gypsy horn - loud speakers, Fixed Tripod - Surveying Accessories, Horn Loudspeaker / Megaphone (V2) Searched String: Test tube 18mm x 150mm (27 ml) Dry Erase Writing Boards (V3), Self Inking Rubber Stamp (V2), Endotracheal Tube - Sterile (Single Use), Ring Wrenches (V2) as Per Is 2029, Pin Up Notice Board (V2), The Indian National Flag as per IS 1, Bunk Beds conforming to IS 17636, Open Jaw Wrenches (Spanners) (V3) As Per IS 2028,

बिड विवरण / Bid Details	Correspondence Envelopes (V3) Conforming to IS 13892, modular electrical enclosure switch board boxes for modular type accessories
	Searched String: Test tube 19mm x 125mm (25 ml) Dry Erase Writing Boards (V3), Multipurpose or General Test Tubes (V2) as per IS 2618, Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Bunk Beds conforming to IS 17636, Correspondence Envelopes (V3) Conforming to IS 13892, modular electrical enclosure switch board boxes for modular type accessories, rubber bands, Cast Iron Bench Searched String: Test tube 25mm x 100mm (38 ml) Dry Erase Writing Boards (V3), Multipurpose or General Test Tubes (V2) as per IS 2618, Endotracheal Tube - Sterile (Single Use), Galva Coating Spray, Pin Up Notice Board (V2), Bunk Beds conforming to IS 17636, Correspondence Envelopes (V3) Conforming to IS 13892, modular electrical enclosure switch board boxes for modular type accessories, rubber bands, Cast Iron Bench Searched String: Forceps, Blunt dissecting, 6 Surgical Forceps, Laparoscopic Dissecting Forcep Searched String: Forceps, Blunt dissecting, 8 Surgical Forceps, Laparoscopic Dissecting Forcep Searched String: Forceps, Pointed dissecting, 5 Hand Held Search Light, Surgical Forceps, Spinal Needle Conforming to IS 7350, Laparoscopic Dissecting Forcep, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, LED Based Indicating Lamp for Panel Cut Outs Searched String: Forceps, Pointed dissecting, 6 Surgical Forceps, Laparoscopic Dissecting Forcep Searched String: ALLIHN CONDENSER with Drip Tip 24 / 29 (Borosilicate glass 3.3) Laboratory Glass Adapters Searched String: ALLIHN CONDENSER with Drip Tip 19 / 26 (Borosilicate glass 3.3) Laboratory Glass Adapters Searched String: Magnetic Beads Teflon coated 20x8mm Dry Erase Writing Boards (V3), Viral RNA Extraction Kit, Combination Board (V2), Office Bags (V2), PVC COATED CANOPY TENT STRUCTURE, School Bags (V2), Thermal Paper (V3) Conforming to IS 17568, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, traffic signs - bilinker light, Coated Paper and Board (Art and Chromo) (V3) Conforming to IS 4658 Searched String: Magnetic Beads Teflon coated 25x8 mm

बिड विवरण / Bid Details	Dry Erase Writing Boards (V3), Combination Board (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Thermal Paper (V3) Conforming to IS 17568
	Searched String: Measuring CYLINDERS 5 ml (Borosilicate glass 3.3) Blood Collection Tube, Measuring Mug / Cup, Extraction Apparatus, Tissue Homogenizer Searched String: Measuring CYLINDERS 10 ml (Borosilicate glass 3.3) Extraction Apparatus, Measuring Mug / Cup, Peristaltic Pump Searched String: Measuring CYLINDERS 25 ml (Borosilicate glass 3.3) Extraction Apparatus, Measuring Mug / Cup Searched String: Measuring CYLINDERS 50 ml (Borosilicate glass 3.3) Extraction Apparatus, Measuring Mug / Cup Searched String: Measuring CYLINDERS 100 ml (Borosilicate glass 3.3) Extraction Apparatus, Measuring Mug / Cup Searched String: S LINE PETRI DISHES Petri plates or dishes(V2), Reinforced Concrete Fence Posts (V2) as per IS 4996, coat combat disruptive detachable lining, Ice Lined Refrigerator Searched String: Vacuum desiccator 300 mm Laboratory Desiccator (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electronic Baby Weighing Scale - RBSK, Pin Up Notice Board (V2), Wooden Lab Stools, Shallow Sterilizer (Dressing Drum), Vacuum Filtration Assembly, Ultrasonic Thickness Gauge, Shredding Machine/Paper Shredder, Leather Gauntlets and Mittens (V2) Conforming to IS 2573
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	- Centrifuge Tubes (V3) - PCR Tube Storage Racks
बीओक्यू शीर्षक / BOQ Title	Glassware
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/ Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	1.85 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/ Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes Complete

बिड विवरण/Bid Details	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ में नू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Micropipettes Volume range 5 to 50 ul, C3 lightweight
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within $L-1+ 15\%$ (Selected

by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Micropipettes Volume Range 5 To 50 UI, C3 Lightweight

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Multi Foil Gas Sampling Bag

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Centrifuge Tube 0.5 ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Centrifuge Tube 2 ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Centrifuge Tube 1.5 ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Centrifuge Tube 50 ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

CERTIFIED SAMPLING And STORAGE VIAL 10 MI Approx

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

CERTIFIED SAMPLING And STORAGE VIAL, CLEAR 15ml Approx

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Test Tube Stand, PC, Autoclavable 32 Mm Dia

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Centrifuge Tube 1.5 ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Centrifuge Tube 50 ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Centrifuge Tube 0.5 ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Test Tube 18mm X 150mm 27 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Magnetic Beads Teflon Coated 25x8 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Measuring CYLINDERS 5 MI Borosilicate Glass 3.3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Measuring CYLINDERS 10 MI Borosilicate Glass 3.3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Measuring CYLINDERS 25 MI Borosilicate Glass 3.3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Measuring CYLINDERS 50 MI Borosilicate Glass 3.3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Measuring CYLINDERS 100 MI Borosilicate Glass 3.3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Vacuum Desiccator 300 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Narrow Mouth Wash Bottle With Long Stem Nozzle, LDPE, 500 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Beaker, PP, 2000 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Beaker, PP, 5000 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Rack For Micro Tube, RPP, 1.5 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Nitrile Gloves Powder Free, Medium

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Kimwipes Disposable Wipes, 11.17 X 21.3 Cm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

UV Quartz Cuvette

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

FL Cuvette

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Conical Flask 50 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Conical Flask 100 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Beaker 25ml

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Watch Glass

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Volumetric 100 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Glass Syringe

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	5	30

Schleck Kjeldahl Reaction And Storage Flask Capacity 50 ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Schleck Kjeldahl Reaction And Storage Flask Capacity 25mL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Precision Seal Natural Rubber Septa White, 14 By 20 Joints

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Round Bottom Flask 100ML, Borosilicate Glass, Joint 24

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	15	30

Glass Dropper With Tip

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Volumetric Flask, 10 ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	20	30

Volumetric Flask, 100 ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Glass Vial, 15 ML, Borosilicate Glass

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	50	30

Capillary For TLC Check

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Glass Vial, 5 ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	100	30

Cuvette For UV-Vis Spectroscopy, Quartz, 2 Sides Transparent

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Pressure Tubes

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Glass Microfibers Filters Papers GFA 25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Glass Microfibers Filters Papers GFA 47mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Syringe Filters Holder 25mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Funnel For Filberts Holder Capacity 300ml

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Filter Support Base For Filter Holder

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Micropipette Tips 100-1000ul

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Micropipette Tips 1-5ul

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Glass Vials

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

UV Quartz Cuvette

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Dinoware Micro Centrifuge Tube

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Volumetric Flask

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Micropipette

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Micropipette

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Fluorescence Cuvette

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Teflon Lined Hydrothermal Autoclave

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Pressure Tubes Front Seal With 30percent Glass Filled PTFE Cap And FFKM FKM O-ring

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Micropipettes Volume Range 0.5-10 Ul, C3 Lightweight

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

SYRINGE FILTER PVDF Membrane PV, Pore Size 0.2 Um, Diameter 13 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Two Finger Clamp, Zinc Pressure Die Casted

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	5	30

Three Finger Clamp, Aluminium Pressure Die Casted

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	5	30

Regular Bosshead Zinc PDC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	5	30

Round Boss Head Zinc PDC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	5	30

Test Tube 18mm X 150mm 27 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Test Tube 19mm X 125mm 25 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	5	30

Test Tube 25mm X 100mm 38 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Forceps, Blunt Dissecting, 6inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Forceps, Blunt Dissecting, 8inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Forceps, Pointed Dissecting, 5inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Forceps, Pointed Dissecting, 6inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

ALLIHN CONDENSER With Drip Tip 24 By 29 Borosilicate Glass 3.3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

ALLIHN CONDENSER With Drip Tip 19 By 26 Borosilicate Glass 3.3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Magnetic Beads Teflon Coated 20x8mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Magnetic Beads Teflon Coated 25x8 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Measuring CYLINDERS 5 MI Borosilicate Glass 3.3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Measuring CYLINDERS 10 MI Borosilicate Glass 3.3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Measuring CYLINDERS 25 MI Borosilicate Glass 3.3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Measuring CYLINDERS 50 MI Borosilicate Glass 3.3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Measuring CYLINDERS 100 MI Borosilicate Glass 3.3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

S LINE PETRI DISHES

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Vacuum Desiccator 300 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gaurav Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.

9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---