

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	02-03-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	02-03-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	National Institute Of Technology (nit)
कार्यालय का नाम/Office Name	M G Avenue , Durgapur 713209, Wb
कुल मात्रा/Total Quantity	263

बिड विवरण/Bid Details**वस्तु श्रेणी /Item Category**

Three Phase Induction motor coupled with dc machine , Three Phase Salient pole synchronous motor coupled with dc machine , Three Phase cylindrical rotor type synchronous motor coupled with dc machine , Single phase transformer , Single phase induction motor with loading arrangement , Three Phase slip-ring Induction Motor , Three Phase, Autotransformer Variac , LCR Meter , Portable AC Volt Meter 0-250 by 500V , Portable AC Volt Meter 0-150 by 300V , Portable Watt Meter Voltage Range 300-600V, Current Range 5-10A , Portable LPF Watt Meter Voltage Range 300-600V, Current Range 5-10A , Portable LPF Watt Meter Voltage Range 150-300V, Current Range 1-2A , Portable UPF Watt Meter 75-150V, 5-10A , Rheostat 0-50 Ohm, Current- 0-5A , Analog tachometer , Voltage Sensor , Current Sensor , Digital Storage Oscilloscope , Function Generators , DC Source , Single Phase Variac , Rheostat , Multimeter , Inductor , Cyclone FPGA based BATTERY MANAGEMENT SYSTEM , 500W LLC converter based electrical vehicle quick charger with front end pfc correction , Process Control Simulator , Lead lag network Compensator , PCB Rapid Prototyping Machine , QLED Dot Display, Capacitive Touch 10 inches , LiDAR Distance Sensor , Eye Tracker with AI accelerator , High Voltage Differential probe , AC by DC current probe , Complete set-up for study of speed control of VSI FED Induction Motor Squirrel cage Drive Operated in Direct Torque Control Mode , Single phase power Quality analyser , Single phase Auto transformer Variac , Rheostat , 210ohm - 2 and half A , Rheostat, 50ohm -5A , AC volt Meter , 0-150 by 300V , AC volt Meter , 0-250 by 500V , AC Ammeter, 0-5 by 10A , Watt meter, 0-300by 600V , 0-5by10A , Numerical 1-Phase Differential Protection Relay , Numerical 1-phase or 3phase Negative sequence current Relay , Numerical 1-Phase or3-Phase Directional Over Current Relay , Magnetic and Electric Field meter , Vacuum Oven , Ultrasonic Probe Sonicator , Digital Viscometer , High Voltage AC-DC Test set , Flash and fire point Tester , Oil-BDV test set with replaceable electrodes , Acoustic Sensor , TEV Sensor , Digital storage Oscilloscope with Probes , Sliding Rheostat 50ohm,2A , Sliding Rheostat 100ohm,2A , Sliding Rheostat 200 ohm,2A , Sliding Rheostat 300 ohm,2A , Wire Wound Resistor 10ohm , 1 A , Wire Wound Resistor 30 ohm , 1 A , Wire Wound Resistor 50 ohm , 1 A , Wire Wound Resistor 60 ohm , 1 A , L-C-R Meter , Ammeter 0 - 200 mA , Ammeter 0-500 mA , 3-Ph Variac , Anderson Bridge with Accessories , Schering Bridge with accessories , Wien Bridge Oscillator Trainer , Three phase Auto Transformer Variac , Portable LPF Wattmeter , Table Top Digital Voltmeter , Table top Digital Ammeter , Table top Digital Wattmeter , Digital Energy Meter , NI UsB6001 DAQ cards , NI analog discovery 3Pro , Analog and digital Electronics Trainer Kit , DC power supply , Arduino Boards , Photovoltaic Module study Kit , AFG , DSO , Tri-Axial Vibration Sensor with temperature and Acoustic sound , Hipot Tester , Fundus camera

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Three Phase Induction motor coupled with dc machine, Three Phase Salient pole synchronous motor coupled with dc machine, Three Phase cylindrical rotor type synchronous motor coupled with dc machine, Single phase transformer, Single phase induction motor with loading arrangement, Three Phase slip-ring Induction Motor, Three Phase, Autotransformer Variac , LCR Meter, Portable AC Volt Meter 0-250 by 500V , Portable AC Volt Meter 0-150 by 300V, Portable Watt Meter Voltage Range: 300-600V, Current Range: 5-10A, Portable LPF Watt Meter Voltage Range: 300-600V, Current Range: 5-10A, Portable LPF Watt Meter Voltage Range: 150-300V, Current Range: 1-2A, Portable UPF Watt Meter 75-150V, 5-10A, Rheostat 0-50 Ohm, Current- 0-5A, Analog tachometer, Voltage Sensor, Current Sensor, Digital Storage Oscilloscope, Function Generators, DC Source, Single Phase Variac, Rheostat , Multimeter, Inductor, Cyclone FPGA based BATTERY MANAGEMENT SYSTEM, 500W LLC converter based electrical vehicle quick charger, Process Control Simulator, Lead lag network Compensator, PCB Rapid Prototyping Machine, QLED Dot Display, Capacitive Touch 10 inches, LiDAR Distance Sensor, Eye Tracker with AI accelerator, Digital Storage Oscilloscope, High Voltage Differential probe, AC by DC current probe, Complete set-up for study of speed control of VSI FED Induction Motor, Single phase power Quality analyser, Single phase Auto transformer Variac, Rheostat , 210ohm - 2 and half A, Rheostat, 50ohm -5A, AC volt Meter , 0-150 by 300V, AC volt Meter , 0-250 by 500V, AC Ammeter, 0-5 by 10A, Watt meter, 0-300by 600V , 0-5/10A, Numerical 1-Phase Differential Protection Relay, Numerical 1-phase or 3phase Negative sequence current Relay, Numerical 1-Phase or3-Phase Directional Over Current Relay, Magnetic and Electric Field meter, Vacuum Oven, Ultrasonic Probe Sonicator, Digital Viscometer, High Voltage AC-DC Test set, Flash and fire point Tester, Oil-BDV test set with replaceable electrodes, Acoustic Sensor, TEV Sensor, Function Generators, Digital storage Oscilloscope with Probes, Sliding Rheostat 50ohm,2A, Sliding Rheostat 100ohm,2A, Sliding Rheostat 200 ohm,2A, Sliding Rheostat 300 ohm,2A, Wire Wound Resistor 10ohm , 1 A, Wire Wound Resistor 30 ohm , 1 A, Wire Wound Resistor 50 ohm , 1 A, Wire Wound Resistor 60 ohm , 1 A, Multimeter, L-C-R Meter, Ammeter 0 - 200 mA, Ammeter 0-500 mA, 3-Ph Variac, DC Source, Anderson Bridge with Accessories, Schering Bridge with accessories, Wien Bridge Oscillator Trainer, Single phase Auto transformer Variac, Three phase Auto Transformer Variac, Multimeter, Portable LPF Wattmeter, Portable LPF Wattmeter, Table Top Digital Voltmeter, Table top Digital Ammeter, Table top Digital Wattmeter, Digital Energy Meter, NI UsB6001 DAQ cards, NI analog discovery 3Pro, LCR Meter, Analog and digital Electronics Trainer Kit, DC power supply , Arduino Boards, Photovoltaic Module study Kit, AFG, DSO, Tri-Axial Vibration Sensor with temperature and Acoustic sound, Hipot Tester, Fundus camera

Searched String: Three Phase Induction motor coupled with dc machine

Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding

बिड विवरण/Bid Details Process as per IS 4559, Electric Winch (V2)

Searched String: Three Phase Salient pole synchronous motor coupled with dc machine

Category not available on GeM for the text string uploaded by the buyer

Searched String: Three Phase cylindrical rotor type synchronous motor coupled with dc machine

Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559

Searched String: Single phase transformer

Distribution Transformer, 1 Phase, Up to and including 100 kVA ISI marked to IS 1180 (Part 1), Surgical Gowns, Single Operator AC Arc Welding Transformers as per IS 1857, Isolation Transformer, Distribution Transformer, 3 Phase, 22 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Sofa (V3), Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Transformer Oil Pump, Distribution Transformer, 3 Phase, 33 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422

Searched String: Single phase induction motor with loading arrangement

Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Electric Winch (V2), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Capacitors for Electric Fan Motors as per IS 1709 (V2), Humidifier (V2), Solar Power Plant (Roof Top) for ONGRID System, Single Phase, E - Tourist Vehicle / Golf Cart, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Resistance Welding Equipment / Rocker Arm Spot Welding Machine as per IS 4804

Searched String: Three Phase slip-ring Induction Motor

Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018

Searched String: Three Phase, Autotransformer Variac

Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018, Power Quality Analyzer, Industrial Siren / Electrical Siren, Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Wet Grinder, Portable Welding Machine (V2), Radial Drilling Machine

Searched String: LCR Meter

LCR Meter, pH Meter, Frequency meter - Analog (Panel

बिड विवरण / Bid Details

Meter), Turbidity meter, Thermal Ribbon, Static meter, true rms clamp meter, Visgag Meter, Cotton Bandage Cloth

(V2), Meter Bridge

Searched String: Portable AC Volt Meter 0-250 by 500V

Digital pH Meter, Temperature Indicator for Transformers - Analog type, Frequency meter - Analog (Panel Meter)

Searched String: Portable AC Volt Meter 0-150 by 300V

Digital pH Meter, Temperature Indicator for Transformers - Analog type

Searched String: Portable Watt Meter Voltage Range: 300-600V, Current Range: 5-10A

Category not available on GeM for the text string uploaded by the buyer

Searched String: Portable LPF Watt Meter Voltage Range: 300-600V, Current Range: 5-10A

Category not available on GeM for the text string uploaded by the buyer

Searched String: Portable LPF Watt Meter Voltage Range: 150-300V, Current Range: 1-2A

Category not available on GeM for the text string uploaded by the buyer

Searched String: Portable UPF Watt Meter 75-150V, 5-10A

Cotton Bandage Cloth (V2), Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948

Searched String: Rheostat 0-50 Ohm, Current- 0-5A

Online UPS (V2), Books (V2), Electronic Weighing Scales, Line Interactive UPS with AVR (V2), Multimedia Projector (MMP), Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Laboratory Glassware - Burettes (V2) as per IS 1997, Digital pH Meter, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Potato Peeler

Searched String: Analog tachometer

Digital Tachometer, Digital Storage Oscilloscope, Analog Oscilloscope, EXTERNAL MICROMETERS, Analog Transceiver - Handheld, PABX System - EPABX (V2), Analog Transceiver - Mobile, Analog Mammography Unit (V2), Analog-Digital Circuits Development Platform, KVM Switch

Searched String: Voltage Sensor

Occupancy sensor, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Photoelectric Sensor, Video - Nystagmography (VNG) for Vertigo Clinics, Force Sensor, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, LVDT Sensor, Sensors for Continuous cardiac output monitor, Temperature sensor, Ultrasonic Sensor

Searched String: Current Sensor

Current Collector, RCCB - Residual Current Operated Circuit

बिड विवरण / Bid Details

- Breakers as per IS 12640, Current Probe, Occupancy sensor, Breath Analyser, Photoelectric Sensor, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Force Sensor, Substation Clamps / Connectors, LVDT Sensor

Searched String: Digital Storage Oscilloscope

Digital Storage Oscilloscope, Executive Table (V3), Analog Oscilloscope, Hardware write Blocker Kit, Metal Storage Cabinet, Enterprise Storage, Mobile Storage Compactors, Enterprise Storage Area Network (SAN) Storage, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Digital Timer

Searched String: Function Generators

function generator, Power Generator - DG Set (up to 900 KVA), Portable Power Generators, Multi function Calibrators, Fog or Mist Generators, Video Conferencing Camera / Web Camera (V2), Multi Function Meter (BHEL), Hi - Lo ICU Bed, ICU Bed (V2), Power Generators (Upto 900 kVA)

Searched String: DC Source

DC Anvil (OFB), vortex mixers, DC Electronic Load, DC Current Transducer, E - Cart for Garbage (V2), DC Solar Wire, Soil Moisture Sensor, DC WINCH MOTOR, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, FORENSIC ULTRA VIOLET LIGHT SOURCE-MEDIUM

Searched String: Single Phase Variac

Power Quality Analyzer, Surgical Gowns, Phase Indicator, Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Sofa (V3), Solid Phase Extraction unit, Bamboo Thin Slicer Machine, Digital Grounding Device 3 Phase, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422

Searched String: Rheostat

Rheostat Kit For Educational Purpose

Searched String: Multimeter

Digital Multimeter

Searched String: Inductor

Inline Inductor, Foam making Branch Pipe or Fire suppression foam or similar compounds as per IS 2097, Foam making Branch- FB 10X (Jet & Spray) with inline inductor as per IS 2097-2012 (PNG), Foam Making Branch - FB 10X (Jet) with Inline Inductor as per IS 2097:2012 (Latest Amendment), Whistle (V2)

Searched String: Cyclone FPGA based BATTERY MANAGEMENT SYSTEM

Non-Aadhaar Based Biometric Attendance System, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, File And Leave Management System Software, PLC based fire alarm

बिड विवरण/Bid Details

system, Biometric(Fingerprint) & UHF Tag based Weapon Management System as Per MHA QRs, Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models), WEB GIS Based Project Management Software

Searched String: 500W LLC converter based electrical vehicle quick charger

Category not available on GeM for the text string uploaded by the buyer

Searched String: Process Control Simulator

Process Calibrator, Power Generator - DG Set (up to 900 KVA), CNC Simulator, Jumbo Process Indicator, magnetic stirrers, Augmented Welding Simulator, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Driving Training Simulator (MHA) (V2), Flying Insect Control Traps - Fly Catcher, Integrated Air Traffic Simulator (IATS) (AAI)

Searched String: Lead lag network Compensator

Category not available on GeM for the text string uploaded by the buyer

Searched String: PCB Rapid Prototyping Machine

PCB Prototype Machine, Package No. 2 Atal Tinkering Lab of Niti Aayog Rapid Prototyping Tools, Designing Software (V3)

Searched String: QLED Dot Display, Capacitive Touch 10 inches

Television (TV) (V2), Interactive Panels with CPU, Electrolyte Analyzers (V2)

Searched String: LiDAR Distance Sensor

Laser Distance Meter, Breath Analyser, Occupancy sensor, Binocular Indirect Ophthalmoscope - RBSK, Photoelectric Sensor, Force Sensor, Temperature controlled soldering station, LVDT Sensor, Temperature sensor, Inductive Proximity Sensor

Searched String: Eye Tracker with AI accelerator

Eye Bolts with Collars - IS 4190, Flat Woven Webbing Slings ISI Marked to IS 15041, Zero Air generator with compressor, Eye Detect System for Lie Detection, Centrifugal/Screw Compressor with Dryer (NALCO), Manikins for CPR with Airway Training, Fume Exhaust System with Scrubber or Fume Hood with Scrubber, artificial airway cpap catheter mounts or catheter mount with connector, Pocket Weather Tracker, Combination Shower and Eye/Face Wash Fountain as per IS 10592-1982 (Re-affirmed in 2007) with latest amendments (PNG)

Searched String: Digital Storage Oscilloscope

Digital Storage Oscilloscope, Executive Table (V3), Analog Oscilloscope, Hardware write Blocker Kit, Metal Storage Cabinet, Enterprise Storage, Mobile Storage Compactors, Enterprise Storage Area Network (SAN) Storage, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Digital Timer

Searched String: High Voltage Differential probe

बिड विवरण/Bid Details

High Voltage Probe, HT Tape, High Voltage Probe (V2), Non-Contact High Voltage Detector, High Voltage Fuses, Current

Limiting Fuses, 5 Part Automated Hematology Analyser (V2), High Voltage Detector, Contamination monitor, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398

Searched String: AC by DC current probe

Current Probe, Towel Hand Cotton Turkish (IAF), AC Current Transducer, Battery Tester, DC Current Transducer, LED Based Indicating Lamp for Panel Cut Outs, AC Current Transducer (V2), DC Anvil (OFB), DC Solar Wire, Measuring Instrument (BHEL)

Searched String: Complete set-up for study of speed control of VSI FED Induction Motor

Category not available on GeM for the text string uploaded by the buyer

Searched String: Single phase power Quality analyser

Power Quality Analyzer, Wet Grinder, Power Analyser, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Solo Paramotors (Single Seater) (Defence), Humidifier (V2), Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Portable Welding Machine (V2)

Searched String: Single phase Auto transformer Variac

Distribution Transformer, 1 Phase, Up to and including 100 kVA ISI marked to IS 1180 (Part 1), Wet Grinder, Single Operator AC Arc Welding Transformers as per IS 1857, Distribution Transformer, 3 Phase, 22 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Isolation Transformer, Distribution Transformer, 3 Phase, 33 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Distribution Transformer, 3 Phase, 6.6 kV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Transformer Oil Pump

Searched String: Rheostat , 210ohm - 2 and half A

Shirt Polyester and Cotton Half Sleeve for IAF Personnel, Overbed Tables, Desk and Bench Set for Classroom/Training Area, Writing and Printing Papers Conforming to IS 1848 (Part 1), tent arctic camping and outdoor equipment, Cricket Stumps and Bails, Switch Mode Power Supply (SMPS) as per IS 14886:, Bond Paper (V3) Conforming to IS 1848 (Part 1), Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Real Time PCR Kits (V2)

Searched String: Rheostat, 50ohm -5A

Rheostat Kit For Educational Purpose, Nitrile Coated/Nitrile Hand Gloves (V2), Passbook for Post Office (V2), File/Folder (V3), XLPE Cable for Working Voltages up to and Including

बिड विवरण / Bid Details

1.1 KV as per IS 7098 (Part 1), All in One PC (V2), High End Desktop Computer, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Disposable Surgical Rubber Gloves (V2), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2)

Searched String: AC volt Meter , 0-150 by 300V

Digital pH Meter, Temperature Indicator for Transformers - Analog type, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Frequency meter - Analog (Panel Meter), Analog-Digital Circuits Development Platform, DC Electronic Load, AC Voltage Transducer (V2), Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312

Searched String: AC volt Meter , 0-250 by 500V

Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Digital pH Meter, Temperature Indicator for Transformers - Analog type, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Frequency meter - Analog (Panel Meter), Analog-Digital Circuits Development Platform, AC Voltage Transducer (V2)

Searched String: AC Ammeter, 0-5 by 10A

Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Temperature Indicator for Transformers - Analog type, Alphabet Block Set / Number Block Set (Preschool Kit), Line Interactive UPS with AVR (V2), Digital pH Meter, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Respirable Dust Sampler as per IS 5182, Switch Mode Power Supply (SMPS) as per IS 14886:, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Plotter Printers (V2)

Searched String: Watt meter, 0-300by 600V , 0-5/10A

Line Interactive UPS with AVR (V2), Foreign body (metal) detector for veterinary use, Digital pH Meter, Online UPS (V2), Oxygen Flow Meter, Analog-Digital Circuits Development Platform, Respirable Dust Sampler as per IS 5182, Switch Mode Power Supply (SMPS) as per IS 14886:, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Light emitting diode driver

Searched String: Numerical 1-Phase Differential Protection Relay

Relay Testing Educational Kit, Relay Module

Searched String: Numerical 1-phase or 3phase Negative sequence current Relay

Relay Testing Educational Kit, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester

Searched String: Numerical 1-Phase or3-Phase Directional Over Current Relay

Power Factor Meter - Digital, Relay Testing Educational Kit, Industrial Siren / Electrical Siren, MIL-STD Digital Grounding System, Thyristor Power Unit

बिड विवरण / Bid Details	Searched String: Magnetic and Electric Field meter
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Magnetic Compass (V2), Toroidal Gravito Complex Magnetic Field Incorporated Scientific Water Treatment Device, MSW and Medical Waste Decomposition System (Magnetic and Thermal), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Fabric (Jacket Field Dress, Trousers Field Dress and CAP) (V2) (IAF), Stacker (V2), Electric Two Wheeler - Motorcycle, Scooter and Moped, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Field Dress (Jacket and Trouser) (IAF), Needle and syringe destroyer - Electric</p>
	<p>Searched String: Vacuum Oven</p> <p>Vacuum Oven, Hot air oven, Vacuum Oven (FSSAI), Industrial Oven, High Vacuum Suction Machine (V2), Portable electrode oven, industrial vacuum cleaner, Blood Collection Tube, Laboratory Drying Oven, Industrial Infrared Oven</p>
	<p>Searched String: Ultrasonic Probe Sonicator</p> <p>Ultrasonic Probe Sonicator, sonicator System, Ultrasonic Cleaners, Ultra - Sonic Bath Sonicator, pH Meter, Four Probe, Current Probe, Nebulizer (V2), Ultrasonic Thickness Gauge, Ultrasonic Sensor</p>
	<p>Searched String: Digital Viscometer</p> <p>Viscometer, Digital Multimeter, Digital Timer, Digital Burette, Digital Medical Thermometer, Digital Barometer, blood pressure recording units, true rms clamp meter, Digital Tachometer, Desktop Calculator - Electronics</p>
	<p>Searched String: High Voltage AC-DC Test set</p> <p>Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Biochemistry Reagent Kit for Human Samples, Health Supplements, Nutraceuticals and Food for Special Dietary Use</p>
	<p>Searched String: Flash and fire point Tester</p> <p>Automatic Abel Flash Point Tester, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Point Load Tester, Fire Proximity Suit Accessories - Fireman Anti Flash Hood, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Books and Flash Cards (By ICDS Bihar), Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others, Primary and Secondary Injection Test Kit for CT_VT and Relay Tester, Microcontroller Based Melting and Boiling Point Apparatus, Watermist and Caf Fire Extinguisher High Pressure Backpack Type (V3)</p>
	<p>Searched String: Oil-BDV test set with replaceable electrodes</p> <p>Transformer Oil BDV Test Set, Transformer Oil BDV Test Kit, Stud Remover & Installer with Screwdriver tool Set(ONGC)</p>
	<p>Searched String: Acoustic Sensor</p> <p>acoustic stethoscope, Acoustic Stethoscope (V2), Acoustic</p>

विड विवरण/Bid Details Binaural Stethoscope (V3), Turbine - Acoustic Enclosure (BHEL), OTO - Acoustic Emissions (OAE) Instrument for New

Born Infant and Children (V2) - RBSK, Occupancy sensor, Breath Analyser, Photoelectric Sensor, Force Sensor, Temperature controlled soldering station

Searched String: TEV Sensor

Occupancy sensor, Breath Analyser, Photoelectric Sensor, Video - Nystagmography (VNG) for Vertigo Clinics, Force Sensor, Temperature controlled soldering station, LVDT Sensor, Sensors for Continuous cardiac output monitor, Temperature sensor, Inductive Proximity Sensor

Searched String: Function Generators

function generator, Power Generator - DG Set (up to 900 KVA), Portable Power Generators, Multi function Calibrators, Fog or Mist Generators, Video Conferencing Camera / Web Camera (V2), Multi Function Meter (BHEL), Hi - Lo ICU Bed, ICU Bed (V2), Power Generators (Upto 900 kVA)

Searched String: Digital storage Oscilloscope with Probes

Digital Storage Oscilloscope, Executive Table (V3), Hardware write Blocker Kit, DSLR Mounted Digital Microscope, Metal Storage Cabinet, Soldering and Desoldering Station with digital display, Computer Table (V3), SMART CLASS EQUIPMENT WITH DIGITAL CONTENTS SOFTWARE, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Digital Ultrasonic Non-Contact Flowmeter with Totalizer

Searched String: Sliding Rheostat 50ohm,2A

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Rheostat Kit For Educational Purpose, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), File/Folder (V3), Digital pH Meter, Retro - Fit Emission Control Equipment for Diesel Generators (V2), Compostable Nursery Bags, Ladders as per IS 3696, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV)

Searched String: Sliding Rheostat 100ohm,2A

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Rheostat Kit For Educational Purpose, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), File/Folder (V3), Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Ladders as per IS 3696, Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Microscope - Slides (V2) conforming to IS 3099 (Part 2), Toxic Gas Detector

Searched String: Sliding Rheostat 200 ohm,2A

Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Rheostat Kit For Educational Purpose, File/Folder (V3), Digital pH Meter, Portable Toilet, Ladders as per IS 3696, Microscope - Slides (V2) conforming to IS 3099 (Part 2), Laboratory Desiccator (V2), Toxic Gas Detector, Handloom Cotton Bed Sheets (V2) as per IS 745

बिड विवरण/Bid Details Searched String: Sliding Rheostat 300 ohm,2A

Rheostat Kit For Educational Purpose, File/Folder (V3), Laboratory Desiccator (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wall Mounting Cabinet, Ladders as per IS 3696, Microscope - Slides (V2) conforming to IS 3099 (Part 2), Toxic Gas Detector, Shredding Machine/Paper Shredder, Inflatable Tent

Searched String: Wire Wound Resistor 10ohm , 1 A

Control Cable, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Binder Clips (V3) Conforming to IS 8231, Sports Abdominal Guard, Line Interactive UPS with AVR (V2), Online UPS (V2)

Searched String: Wire Wound Resistor 30 ohm , 1 A

Tapered Bearings as per IS 12102, Sports Abdominal Guard, High Pressure Fire Fighting Hose - IS 14933, Binder Clips (V3) Conforming to IS 8231, Facial Tissue Papers(V3), Control Cable, Resistors (V2)

Searched String: Wire Wound Resistor 50 ohm , 1 A

Tapered Bearings as per IS 12102, Binder Clips (V2), Binder Clips (V3) Conforming to IS 8231, Control Cable, Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), Resistors (V2)

Searched String: Wire Wound Resistor 60 ohm , 1 A

Tapered Bearings as per IS 12102, Sports Abdominal Guard, Binder Clips (V3) Conforming to IS 8231, Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1), Mild Steel Wire for General Engineering Purpose as per IS 280, Writing and Printing Papers Conforming to IS 1848 (Part 1), Control Cable, Resistors (V2), Flux Cored Solder Wire as per IS 1921

Searched String: Multimeter

Digital Multimeter

Searched String: L-C-R Meter

L-Ascorbic Acid, Muffle/Box Furnace (V2), Cheese Cloth, Dry Erase Writing Boards (V3), Unstitched Fabrics-Handicraft, Writing Pad Chair, Revolving Chair (V5), Polycarbonate Lathi (MHA), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Oxygen Flow Meter

Searched String: Ammeter 0 - 200 mA

X Ray Machine (200 mA), Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Electrician tool kit, Magnesium Gym Chalk, Online UPS (V2), Distribution Transformer, 3 Phase, 22 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Electronic Weighing Scales, Distribution Transformer, 3 Phase, 6.6 kV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Micro/Semi-Micro/Analytical weighing balance, Distribution Transformer, 3 Phase, 33 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1)

बिड विवरण/Bid Details **Searched String:** Ammeter 0-500 mA

X - Ray Machine (500 mA), Electronic Weighing Scales, 500 mA X - Ray Machine (V2), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Magnesium Gym Chalk, Calcined Magnesia Carbon Grog - SAIL, Muffle/Box Furnace (V2), Signal Isolator, Milliammeter-IS:1248, High Vacuum Pump

Searched String: 3-Ph Variac

pH Paper, High End Desktop Computer, pH Electrode, Water Quality Meters / Analyzers, pH Meter, Sofa (V3), PH buffer solution, Multiparameter pH or mV or ISE or Temp Meter, pH Paper (V2), Entry and Mid Level Desktop Computer

Searched String: DC Source

DC Anvil (OFB), vortex mixers, DC Electronic Load, DC Current Transducer, E - Cart for Garbage (V2), DC Solar Wire, Soil Moisture Sensor, DC WINCH MOTOR, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, FORENSIC ULTRA VIOLET LIGHT SOURCE-MEDIUM

Searched String: Anderson Bridge with Accessories

Electronic Weigh Bridge (Without Civil Work), Rigid Bronchoscope with Accessories, gmaw welding machine with accessories, Emergency lighting and accessories (Portable Emergency Lighting System Tower type with Battery Bank), Diver Body Harness with Life Line (Diving Instruments or Accessories), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Riot Control Helmet with accessories (MHA), Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Bore Gauge With Its Accessories (BHEL), Tent Extendable Frame Supported 4M and 2M Complete with Accessories (V2)

Searched String: Schering Bridge with accessories

Electronic Weigh Bridge (Without Civil Work), Rigid Bronchoscope with Accessories, gmaw welding machine with accessories, Emergency lighting and accessories (Portable Emergency Lighting System Tower type with Battery Bank), Diver Body Harness with Life Line (Diving Instruments or Accessories), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Riot Control Helmet with accessories (MHA), Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Bore Gauge With Its Accessories (BHEL), Tent Extendable Frame Supported 4M and 2M Complete with Accessories (V2)

Searched String: Wien Bridge Oscillator Trainer

Category not available on GeM for the text string uploaded by the buyer

Searched String: Single phase Auto transformer Variac

Distribution Transformer, 1 Phase, Up to and including 100 kVA ISI marked to IS 1180 (Part 1), Wet Grinder, Single Operator AC Arc Welding Transformers as per IS 1857,

बिड विवरण / Bid Details

Distribution Transformer, 3 Phase, 22 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1),

Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Isolation Transformer, Distribution Transformer, 3 Phase, 33 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Distribution Transformer, 3 Phase, 6.6 kV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Transformer Oil Pump

Searched String: Three phase Auto Transformer Variac

Battery Operated Three Wheeler for Passengers, Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018, Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Transformer Oil Pump, Distribution Transformer, 1 Phase, Up to and including 100 kVA ISI marked to IS 1180 (Part 1), Three Wheeler for Passengers, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Distribution Transformer, 3 Phase, 22 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Three Wheeler Hooper Tipper Dumper

Searched String: Multimeter

Digital Multimeter

Searched String: Portable LPF Wattmeter

Portable Toilet, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Portable OT Light, Portable electrode oven, Portable OT Light (V2), Portable Hardness Tester, Portable Ultrasound Machine, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Portable Ventilators (V2), Portable Video Bronchoscope

Searched String: Portable LPF Wattmeter

Portable Toilet, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Portable OT Light, Portable electrode oven, Portable OT Light (V2), Portable Hardness Tester, Portable Ultrasound Machine, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Portable Ventilators (V2), Portable Video Bronchoscope

Searched String: Table Top Digital Voltmeter

Table Top Hemoglobinometer (V2), Modular Table / Meeting Table / Centre Table (V2), Table Top Loom, Table Top Autoclave, Computer Table (V3), Table Top Autoclave (V2), Rotary Shaker, Table Top Elevator Writing Desk, High Temperature High Pressure Table Top Sample Dyeing Machine, Modular Extendable Conference Table (V2)

Searched String: Table top Digital Ammeter

Table Top Hemoglobinometer (V2), Modular Table / Meeting Table / Centre Table (V2), Table Top Loom, Table Top Autoclave, Computer Table (V3), Table Top Autoclave (V2), Rotary Shaker, Table Top Elevator Writing Desk, High Temperature High Pressure Table Top Sample Dyeing Machine, Modular Extendable Conference Table (V2)

बिड विवरण/Bid Details	Searched String: Table top Digital Wattmeter
	<p>Table Top Hemoglobinometer (V2), Modular Table / Meeting Table / Centre Table (V2), Table Top Loom, Table Top Autoclave, Computer Table (V3), Table Top Autoclave (V2), Rotary Shaker, Table Top Elevator Writing Desk, High Temperature High Pressure Table Top Sample Dyeing Machine, Modular Extendable Conference Table (V2)</p> <p>Searched String: Digital Energy Meter</p> <p>Prepaid energy meter, Digital Multimeter, Energy Meter Test Bench, Digital pH Meter, pH Meter, digital conductivity meter, Digital Light Meter, Digital Medical Thermometer, Digital Moisture Meter (Textile), High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2)</p> <p>Searched String: NI UsB6001 DAQ cards</p> <p>USB Data Card / Dongle, Whistle (V2)</p> <p>Searched String: NI analog discovery 3Pro</p> <p>CADAVEROUS INJECTOR, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Combination Spanners (V2), Turbine Flow Meter, Non Sparking Double Open Ended Spanner (V2), Non Sparking Ring Slugging Spanners (V2), Non Sparking Hammers (V2), Watt Meter - Analog (Panel Meter) as per IS 1248:2003</p> <p>Searched String: LCR Meter</p> <p>LCR Meter, pH Meter, Frequency meter - Analog (Panel Meter), Turbidity meter, Thermal Ribbon, Static meter, true rms clamp meter, Visgag Meter, Cotton Bandage Cloth (V2), Meter Bridge</p> <p>Searched String: Analog and digital Electronics Trainer Kit</p> <p>Digital Trainer Kit, Fingerprint Elimination Kit, Digital Storage Oscilloscope, Networking Trainer Educational Kit, Electronic Torque and Angle Wrench (ONGC), Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), Desktop Calculator - Electronics, Fiber Optics Trainer Kit For Educational Purpose</p> <p>Searched String: DC power supply</p> <p>DC Regulated Power Supply As Per MHA QRs, Power Generator - DG Set (up to 900 KVA), Portable Power Supply Unit, Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II), Cleaning Duster (V3), Switching Power Supply for Wireless Application, Switch Mode Power Supply (SMPS) as per IS 14886:, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Online UPS (≤ 10 KVA) Without Battery Conforming To IS 16242 (Part 1), Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1)</p> <p>Searched String: Arduino Boards</p> <p>Particle Boards, Modular Table / Meeting Table / Centre Table (V2), Hanging Boards, Printed Circuit Board, Interactive Boards, Dry Erase Writing Boards (V3), Engineer's Pattern Drawing Boards, DIGITAL SIGNAL PROCESSING BOARD, External branding signage boards,</p>

बिड विवरण / Bid Details	Computer Table (V3)
	<p>Searched String: Photovoltaic Module study Kit</p> <p>Photovoltaic Module (Solar Charger) for Batteries as per MHA QRs, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, LoRA Development Module Kit, Solar Photovoltaic Modules / Panels - Thin Film Terrestrial</p> <p>Searched String: AFG</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: DSO</p> <p>Digital Storage Oscilloscope</p> <p>Searched String: Tri-Axial Vibration Sensor with temperature and Acoustic sound</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Hipot Tester</p> <p>Insulation Tester, Battery Tester, Digital Micro Vickers Hardness Tester, Line Tester, Portable Hardness Tester, Flammability Tester - (Textile), Compression Testing Machine, Perspiration Tester (Textile), Portable Surface Roughness Tester, Sublimation Tester (Textile)</p> <p>Searched String: Fundus camera</p> <p>Digital Fundus Camera, Digital Fundus Camera (V2), Retinal Camera or Fundus Camera for Eye Neonatal Screening - RBSK, Camera Trap / Trail Camera (V2), Video Conferencing Camera / Web Camera (V2), DSLR Camera Lens, Camera Cleaning Kit, Gel Documentation System, Dashboard Camera (V2), Body Worn Camera (V2)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • LCR Meter • Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615
बीओक्यू शीर्षक /BOQ Title	Electrical Engineering Equipment OH35
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	2 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Three Phase Induction motor coupled with dc machine
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	13477860
मूल्यांकन पद्धति/ Evaluation Method	Item wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) / ePBG Percentage (%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months).	14

(a) ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी / Beneficiary :

Registrar
M G Avenue , Durgapur 713209, Wb, Department of Higher Education, National Institute of Technology (NIT),
Ministry of Education
(Registrar)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement (Preference to Make-in-india) order 2017 date 16.09.2020 (as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order (as amended and applicable time to time)

एमएसई खरीद वरीयता / MSE Purchase Preference

एमएसई खरीद वरीयता / MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15

सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25
---	----

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any

impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
17-02-2026 11:00:00	Senate Hall, SN Ray Memorial Building, NIT Durgapur

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	अनुमानित मूल्य / Estimated Value	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	160000	Three Phase Induction Motor Coupled With Dc Machine	1
Schedule 2	160000	Three Phase Salient Pole Synchronous Motor Coupled With Dc Machine	1
Schedule 3	160000	Three Phase Cylindrical Rotor Type Synchronous Motor Coupled With Dc Machine	1
Schedule 4	90000	Single Phase Transformer	6
Schedule 5	15000	Single Phase Induction Motor With Loading Arrangement	1
Schedule 6	200000	Three Phase Slip-ring Induction Motor	1
Schedule 7	160000	Three Phase, Autotransformer Variac	2
Schedule 8	36000	Lcr Meter	2
Schedule 9	20000	Portable Ac Volt Meter 0-250 By 500v	5
Schedule 10	16000	Portable Ac Volt Meter 0-150 By 300v	5
Schedule 11	20000	Portable Watt Meter Voltage Range 300-600v, Current Range 5-10a	2
Schedule 12	22000	Portable Lpf Watt Meter Voltage Range 300-600v, Current Range 5-10a	2
Schedule 13	22000	Portable Lpf Watt Meter Voltage Range 150-300v, Current Range 1-2a	2
Schedule 14	16000	Portable Upf Watt Meter 75-150v, 5-10a	2
Schedule 15	35000	Rheostat 0-50 Ohm, Current- 0-5a	5
Schedule 16	100000	Analog Tachometer	2
Schedule 17	50000	Voltage Sensor	1
Schedule 18	10000	Current Sensor	1
Schedule 19	90000	Digital Storage Oscilloscope	1
Schedule 20	120000	Function Generators	2

Schedule 21	200000	Dc Source	2
Schedule 22	36000	Single Phase Variac	2
Schedule 23	30000	Rheostat	3
Schedule 24	30000	Multimeter	2
Schedule 25	45000	Inductor	3
Schedule 26	700000	Cyclone Fpga Based Battery Management System	1
Schedule 27	830000	500w Llc Converter Based Electrical Vehicle Quick Charger With Front End Pfc Correction	1
Schedule 28	47200	Process Control Simulator	1
Schedule 29	35400	Lead Lag Network Compensator	1
Schedule 30	600000	Pcb Rapid Prototyping Machine	1
Schedule 31	273000	Qled Dot Display, Capacitive Touch 10 Inches	21
Schedule 32	105000	Lidar Distance Sensor	21
Schedule 33	140000	Eye Tracker With Ai Accelerator	1
Schedule 34	710000	Digital Storage Oscilloscope	1
Schedule 35	300000	High Voltage Differential Probe	2
Schedule 36	200000	Ac By Dc Current Probe	1
Schedule 37	600000	Complete Set-up For Study Of Speed Control Of Vsi Fed Induction Motor Squirrel Cage Drive Operated In Direct Torque Control Mode	1
Schedule 38	520000	Single Phase Power Quality Analyser	1
Schedule 39	36000	Single Phase Auto Transformer Variac	2
Schedule 40	60000	Rheostat , 210ohm - 2 And Half A	10
Schedule 41	35000	Rheostat, 50ohm -5a	5
Schedule 42	20000	Ac Volt Meter , 0-150 By 300v	5
Schedule 43	20000	Ac Volt Meter , 0-250 By 500v	5
Schedule 44	20000	Ac Ammeter, 0-5 By 10a	5
Schedule 45	32000	Watt Meter, 0-300by 600v , 0-5by10a	4
Schedule 46	400000	Numerical 1-phase Differential Protection Relay	2
Schedule 47	200000	Numerical 1-phase Or 3phase Negative Sequence Current Relay	3
Schedule 48	400000	Numerical 1-phase Or3-phase Directional Over Current Relay	3
Schedule 49	200000	Magnetic And Electric Field Meter	1
Schedule 50	100000	Vacuum Oven	1
Schedule 51	200000	Ultrasonic Probe Sonicator	1
Schedule 52	150000	Digital Viscometer	1
Schedule 53	200000	High Voltage Ac-dc Test Set	1

Schedule 54	100000	Flash And Fire Point Tester	1
Schedule 55	100000	Oil-bdv Teat Set With Replaceable Electrodes	1
Schedule 56	300000	Acoustic Sensor	1
Schedule 57	50000	Tev Sensor	1
Schedule 58	500000	Function Generators	1
Schedule 59	700000	Digital Storage Oscilloscope With Probes	1
Schedule 60	4720	Sliding Rheostat 50ohm,2a	2
Schedule 61	5900	Sliding Rheostat 100ohm,2a	2
Schedule 62	7552	Sliding Rheostat 200 Ohm,2a	2
Schedule 63	28320	Sliding Rheostat 300 Ohm,2a	6
Schedule 64	2360	Wire Wound Resistor 10ohm , 1 A	4
Schedule 65	2832	Wire Wound Resistor 30 Ohm , 1 A	4
Schedule 66	3776	Wire Wound Resistor 50 Ohm , 1 A	4
Schedule 67	4720	Wire Wound Resistor 60 Ohm , 1 A	4
Schedule 68	28320	Multimeter	2
Schedule 69	8260	L-c-r Meter	1
Schedule 70	9440	Ammeter 0 - 200 Ma	4
Schedule 71	9440	Ammeter 0-500 Ma	4
Schedule 72	70800	3-ph Variac	1
Schedule 73	28320	Dc Source	2
Schedule 74	55000	Anderson Bridge With Accessories	1
Schedule 75	56000	Schering Bridge With Accessories	1
Schedule 76	52000	Wien Bridge Oscillator Trainer	1
Schedule 77	18000	Single Phase Auto Transformer Variac	1
Schedule 78	160000	Three Phase Auto Transformer Variac	2
Schedule 79	60000	Multimeter	6
Schedule 80	22000	Portable Lpf Wattmeter	2
Schedule 81	22000	Portable Lpf Wattmeter	2
Schedule 82	10500	Table Top Digital Voltmeter	3
Schedule 83	10500	Table Top Digital Ammeter	3
Schedule 84	10500	Table Top Digital Wattmeter	3
Schedule 85	10000	Digital Energy Meter	1
Schedule 86	125000	Ni Usb6001 Daq Cards	2
Schedule 87	120000	Ni Analog Discovery 3pro	1
Schedule 88	120000	Lcr Meter	1

Schedule 89	120000	Analog And Digital Electronics Trainer Kit	2
Schedule 90	90000	Dc Power Supply	3
Schedule 91	10000	Arduino Boards	10
Schedule 92	60000	Photovoltaic Module Study Kit	1
Schedule 93	120000	Afg	3
Schedule 94	120000	Dso	3
Schedule 95	81000	Tri-axial Vibration Sensor With Temperature And Acoustic Sound	1
Schedule 96	684000	Hipot Tester	1
Schedule 97	400000	Fundus Camera	1

Three Phase Induction Motor Coupled With Dc Machine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Three Phase Salient Pole Synchronous Motor Coupled With Dc Machine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Three Phase Cylindrical Rotor Type Synchronous Motor Coupled With Dc Machine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Single Phase Transformer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	6	30

Single Phase Induction Motor With Loading Arrangement

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Three Phase Slip-ring Induction Motor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Three Phase, Autotransformer Variac

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

LCR Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Portable AC Volt Meter 0-250 By 500V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	5	30

Portable AC Volt Meter 0-150 By 300V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	5	30

Portable Watt Meter Voltage Range 300-600V, Current Range 5-10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Portable LPF Watt Meter Voltage Range 300-600V, Current Range 5-10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Portable LPF Watt Meter Voltage Range 150-300V, Current Range 1-2A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Portable UPF Watt Meter 75-150V, 5-10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Rheostat 0-50 Ohm, Current- 0-5A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	5	30

Analog Tachometer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Voltage Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Current Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Digital Storage Oscilloscope

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Function Generators

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

DC Source

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Single Phase Variac

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Rheostat

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	30

Multimeter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Inductor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	30

Cyclone FPGA Based BATTERY MANAGEMENT SYSTEM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

500W LLC Converter Based Electrical Vehicle Quick Charger With Front End Pfc Correction

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Process Control Simulator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Lead Lag Network Compensator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

PCB Rapid Prototyping Machine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

QLED Dot Display, Capacitive Touch 10 Inches

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	21	30

LiDAR Distance Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	21	30

Eye Tracker With AI Accelerator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Digital Storage Oscilloscope

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

High Voltage Differential Probe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

AC By DC Current Probe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

**Complete Set-up For Study Of Speed Control Of VSI FED Induction Motor Squirrel
Cage Drive Operated In Direct Torque Control Mode**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Single Phase Power Quality Analyser

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local
Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Single Phase Auto Transformer Variac

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Rheostat , 210ohm - 2 And Half A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Rheostat, 50ohm -5A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	5	30

AC Volt Meter , 0-150 By 300V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	5	30

AC Volt Meter , 0-250 By 500V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	5	30

AC Ammeter, 0-5 By 10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	5	30

Watt Meter, 0-300by 600V , 0-5by10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	4	30

Numerical 1-Phase Differential Protection Relay

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Numerical 1-phase Or 3phase Negative Sequence Current Relay

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	30

Numerical 1-Phase Or3-Phase Directional Over Current Relay

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	30

Magnetic And Electric Field Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Vacuum Oven

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Ultrasonic Probe Sonicator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Digital Viscometer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

High Voltage AC-DC Test Set

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Flash And Fire Point Tester

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Oil-BDV Teat Set With Replaceable Electrodes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Acoustic Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

TEV Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Function Generators

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Digital Storage Oscilloscope With Probes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Sliding Rheostat 50ohm,2A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Sliding Rheostat 100ohm,2A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Sliding Rheostat 200 Ohm,2A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Sliding Rheostat 300 Ohm,2A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	6	30

Wire Wound Resistor 10ohm , 1 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	4	30

Wire Wound Resistor 30 Ohm , 1 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	4	30

Wire Wound Resistor 50 Ohm , 1 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	4	30

Wire Wound Resistor 60 Ohm , 1 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	4	30

Multimeter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

L-C-R Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Ammeter 0 - 200 MA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	4	30

Ammeter 0-500 MA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	4	30

3-Ph Variac

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

DC Source

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Anderson Bridge With Accessories

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Schering Bridge With Accessories

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Wien Bridge Oscillator Trainer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Single Phase Auto Transformer Variac

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Three Phase Auto Transformer Variac

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Multimeter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	6	30

Portable LPF Wattmeter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Portable LPF Wattmeter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Table Top Digital Voltmeter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	30

Table Top Digital Ammeter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	30

Table Top Digital Wattmeter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	30

Digital Energy Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

NI Usb6001 DAQ Cards

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

NI Analog Discovery 3Pro

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

LCR Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Analog And Digital Electronics Trainer Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

DC Power Supply

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	30

Arduino Boards

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Photovoltaic Module Study Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

AFG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	30

DSO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	30

Tri-Axial Vibration Sensor With Temperature And Acoustic Sound

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Hipot Tester

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Fundus Camera

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the

original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working

Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---