

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	28-02-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	28-02-2026 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	National Institute Of Technology (nit)
कार्यालय का नाम/Office Name	M G Avenue , Durgapur 713209, Wb
कुल मात्रा/Total Quantity	79
वस्तु श्रेणी /Item Category	CMOS camera , Optical Breadboard , Plancks Constant Apparatus , lambda 4 Quartz Wave plate Zero Order , lambda 2 Quartz Wave plate Zero Order , Screen Holders , Irish Diaphragm , Magnetic Base , Lens Holders , Green Diode laser With power supply , Red Diode laser with power supply , Linear Polarizer Polarizing Film , Polarization Tester polarizing film , Plano-convex Cylindrical lensf 150mm , Plano-convex Cylindrical lens f 250mm , Plano-convex Cylindrical lens f 500mm , Manual Polarizer Rotator , Precision Polarizer Rotator with tilt , Non-Polarizing Cube Beam Splitter , Fabry - Perot Interferometer , Post Holders , Posts , Bases , Laser Power meter , Rotational Stage , Pinhole 5um , Analytical Weighing Balance , Diode laser with power supply - More than 5milli watt. W L-405nm , Cube beam splitter 25mm
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	CMOS camera , Optical Breadboard , Planck's Constant Apparatus, lambda/4 Quartz Wave plate Zero Order , lambda/2 Quartz Wave plate Zero Order , Screen Holders, Irish Diaphragm, Magnetic Base, Lens Holders, Green Diode laser With power supply, Red Diode laser with power supply, Linear Polarizer Polarizing Film , Polarization Tester polarizing film , Plano-convex Cylindrical lens f=150mm, H=30mm, L=60mm visible wavelength, Plano-convex Cylindrical lens f=250mm, H=20mm, L=40mm visible wavelength, Plano-convex Cylindrical lens f=500mm, H=30mm, L=60mm visible wavelength, Manual Polarizer Rotator, Precision Polarizer Rotator with tilt, Non-Polarizing Cube Beam Splitter, Fabry - Perot Interferometer, Post Holders, Posts, Bases, Laser Power meter, Rotational Stage, Pinhole 5um, Analytical Weighing Balance, Diode laser with power supply - More than 5milli watt. W/L-405nm, Cube beam splitter 25mm

बिड विवरण/Bid Details	Searched String: CMOS camera
	<p>Camera Trap / Trail Camera (V2), Video Conferencing Camera / Web Camera (V2), Gel Documentation System, Digital Fundus Camera, Camera Cleaning Kit, DSLR Camera Lens, Dashboard Camera (V2), Body Worn Camera (V2), Sewer Inspection Camera Apparatus, Camera for CCTV System (V3)</p> <p>Searched String: Optical Breadboard</p> <p>Optical Biometer, Fiber Optic Patch Cord, Optical Storage Media, ADSS Optical Fiber Cable (Defence), Optical Network Terminal, Optical Adhesive Film, Inverted Research Microscope as per IS 5204, Automatic Optical Level, Optical Time Domain Reflectometer (OTDR), Optical Emission Spectrometer</p> <p>Searched String: Planck's Constant Apparatus</p> <p>Clerk Maxwell Apparatus</p> <p>Searched String: lambda/4 Quartz Wave plate Zero Order</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: lambda/2 Quartz Wave plate Zero Order</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Screen Holders</p> <p>Screen Protector, Notepad Holders, Mobile Folding Privacy Screen / Ward Screen, Projector Screen (V2), Wedge Wire Screen, Surgical Needle Holders, Business Card Holders, Television (TV) (V2), Tea Light Candle Holders-Handicraft, Upcycled Pen Pencil Holders (V1)</p> <p>Searched String: Irish Diaphragm</p> <p>Diaphragm pumps, acoustic stethoscope, Lead Diaphragm (BHEL), Diaphragm type valves for general purpose - IS 11791, Acoustic Binaural Stethoscope (V3), Rubber Diaphragms</p> <p>Searched String: Magnetic Base</p> <p>Magnetic Stand, Dry Erase Writing Boards (V3), magnetic stirrers, ISAT Phone Docking Unit Along with Magnetic Base Outdoor / Vehicular Antenna, Magnetic Compass, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Spare / Add on Antenna for Transceiver / Repeater - Mobile / Static / Handheld, Fingerprint Magnetic Applicators, Magnetic Earth Clamp, Fixed Computer Workstation</p> <p>Searched String: Lens Holders</p> <p>Aspheric Lens, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Gonio Lens, Grid Lens, Badge Holders - I Card, Notepad Holders, DSLR Camera Lens, LED Luminaire for High Bay Lighting, YAG Capsulotomy Lens, YAG Iridotomy Lens</p> <p>Searched String: Green Diode laser With power supply</p> <p>Online UPS (>10 KVA) With Battery, Combination therapy</p>

बिड विवरण/Bid Details	with 2 channel electrotherapy, vaccum and dual frequency ultrasound, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Soft Tissue Diode Dental Laser, Online UPS (≤ 10 KVA) Without Battery Conforming To IS 16242 (Part 1), Online UPS (>10 KVA) Without Battery, Blockchain_Fintech Ver 2.0
Searched String: Red Diode laser with power supply Online UPS (>10 KVA) With Battery, Combination therapy with 2 channel electrotherapy, vaccum and dual frequency ultrasound, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Portable Power Supply Unit, Online UPS (≤ 10 KVA) Without Battery Conforming To IS 16242 (Part 1), Soft Tissue Diode Dental Laser, Online UPS (>10 KVA) Without Battery, Servers (V2), Blockchain_Fintech Ver 2.0	Searched String: Red Diode laser with power supply Online UPS (>10 KVA) With Battery, Combination therapy with 2 channel electrotherapy, vaccum and dual frequency ultrasound, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Portable Power Supply Unit, Online UPS (≤ 10 KVA) Without Battery Conforming To IS 16242 (Part 1), Soft Tissue Diode Dental Laser, Online UPS (>10 KVA) Without Battery, Servers (V2), Blockchain_Fintech Ver 2.0
Searched String: Linear Polarizer Polarizing Film Linear Low Density Polyethylene Film (V2) as per IS 14500, Linear Low Density Polyethylene (LLDPE) Film (V3) Conforming to IS 14500, Advance Polarization Microscope, PVC Strip Curtain, Frying oil Monitor or Cooking Oil Tester, Air bubble film	Searched String: Linear Polarizer Polarizing Film Linear Low Density Polyethylene Film (V2) as per IS 14500, Linear Low Density Polyethylene (LLDPE) Film (V3) Conforming to IS 14500, Advance Polarization Microscope, PVC Strip Curtain, Frying oil Monitor or Cooking Oil Tester, Air bubble film
Searched String: Polarization Tester polarizing film Advance Polarization Microscope, PVC Strip Curtain, Frying oil Monitor or Cooking Oil Tester	Searched String: Polarization Tester polarizing film Advance Polarization Microscope, PVC Strip Curtain, Frying oil Monitor or Cooking Oil Tester
Searched String: Plano-convex Cylindrical lens f=150mm, H=30mm, L=60mm visible wavelength Category not available on GeM for the text string uploaded by the buyer	Searched String: Plano-convex Cylindrical lens f=150mm, H=30mm, L=60mm visible wavelength Category not available on GeM for the text string uploaded by the buyer
Searched String: Plano-convex Cylindrical lens f=250mm, H=20mm, L=40mm visible wavelength Category not available on GeM for the text string uploaded by the buyer	Searched String: Plano-convex Cylindrical lens f=250mm, H=20mm, L=40mm visible wavelength Category not available on GeM for the text string uploaded by the buyer
Searched String: Plano-convex Cylindrical lens f=500mm, H=30mm, L=60mm visible wavelength Category not available on GeM for the text string uploaded by the buyer	Searched String: Plano-convex Cylindrical lens f=500mm, H=30mm, L=60mm visible wavelength Category not available on GeM for the text string uploaded by the buyer
Searched String: Manual Polarizer Rotator Rotospin Test tube rotator, Power Generator - DG Set (up to 900 KVA), Manual Winches, Manual Pitch Roller, Toilet Brush (V2), Manual Paddy Seeder, Manual Paddy Weeder, Manual Single Channel Air Displacement Pipetters Or Micropipette (V2), Scythe (Manual Harvesting Tool), pH Meter	Searched String: Manual Polarizer Rotator Rotospin Test tube rotator, Power Generator - DG Set (up to 900 KVA), Manual Winches, Manual Pitch Roller, Toilet Brush (V2), Manual Paddy Seeder, Manual Paddy Weeder, Manual Single Channel Air Displacement Pipetters Or Micropipette (V2), Scythe (Manual Harvesting Tool), pH Meter
Searched String: Precision Polarizer Rotator with tilt Dharapathy With Tiltable Steel Table (Ayurvedic Treatment Table) For Panchakarma, Auditorium Chair (V2), Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, medical stools or chairs, Transformer Oil BDV Test Kit, Polarimeter	Searched String: Precision Polarizer Rotator with tilt Dharapathy With Tiltable Steel Table (Ayurvedic Treatment Table) For Panchakarma, Auditorium Chair (V2), Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, medical stools or chairs, Transformer Oil BDV Test Kit, Polarimeter
Searched String: Non-Polarizing Cube Beam Splitter Fourier Transform Infra Red (FTIR) Spectrometer, Balance Beam with Layout mattresses for Balance Beam-Gymnastic	Searched String: Non-Polarizing Cube Beam Splitter Fourier Transform Infra Red (FTIR) Spectrometer, Balance Beam with Layout mattresses for Balance Beam-Gymnastic

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण/Bid Details	<p>Searched String: Fabry - Perot Interferometer</p>
	<p>Ultrasonic Interferometer</p>
	<p>Searched String: Post Holders</p>
	<p>Notebook Holders, Handball Post, Santry Post, Badge Holders - I Card, Spring post, Surgical Needle Holders, Football Goal Post Net as per IS 3345, Business Card Holders, Tea Light Candle Holders-Handicraft, Tea Light Candle Holders-Handicraft (Bamboo)</p>
	<p>Searched String: Posts</p>
	<p>Reinforced concrete fence posts Bend Type-II (Cement or concrete posts), Reinforced Concrete Fence Posts (V2) as per IS 4996, RCC Boundary stone Type A (Cement or concrete posts), Football Goal Post Net as per IS 3345, RCC Guard stone Type A (Cement or concrete posts), RCC Guard stone Type B (Cement or concrete posts), Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), RCC Ordinary KM stone - Type A (Cement or concrete posts), RCC 0.2 KM Stone (Cement or Concrete Posts) as per IS 3597, IS 516, Led post top lantern</p>
	<p>Searched String: Bases</p>
	<p>Carriers and bases in rewirable type electric fuses conforming to IS 2086, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Fixed Computer Workstation, Powder - Liquid Acid-Base Dental Cements Conforming to IS/ISO 9917 (Part 1), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), pH Meter, Servers (V2), Bench Vice, Activity Based Educational Kits for Physics, Modular Work Stations (V3)</p>
	<p>Searched String: Laser Power meter</p>
	<p>Laser Distance Meter, Power Generator - DG Set (up to 900 KVA), Laser Speed Meter (V2), Laser Range Finder, Power Factor Meter - Digital, Wheel Chairs (V2), Laser marking machine, Digital RF Power Meter (V2), pH Meter, Passive optical network power meter</p>
	<p>Searched String: Rotational Stage</p>
	<p>School Stage Platform, Middle Stage Mathematics Kit (NCERT), Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Secondary Stage Mathematics Kit (NCERT), Pressure Regulator For Gases, Secondary Stage Mathematics Kit (NCERT), Polarimeter, Horizontal Single Stage Centrifugal Pump (NTPC), Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, Secondary Stage Physics Laboratory Kit (NCERT)</p>
	<p>Searched String: Pinhole 5um</p>
	<p>All in One PC (V2), File/Folder (V3), FTTH Drop Cable, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), High End Desktop Computer, Disposable Surgical Rubber Gloves (V2), Entry and Mid Level Desktop Computer, Central Venous Catheters (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Ultrasonic Cleaners</p>
	<p>Searched String: Analytical Weighing Balance</p>

	बिड विवरण/Bid Details Micro/Semi-Micro/Analytical weighing balance, Electronic Weighing Scales, Analytical Semi - Micro Balances, Two Pan Laboratory Balance Analytical Chemical Physical as per IS 9440, Electronic Baby Weighing Scale - RBSK, Mud Balance, Plummet Balance, Spring Balance, Tanker on Agricultural Trailer, Glass Weighing Bottles as per IS 1574 Searched String: Diode laser with power supply - More than 5milli watt. W/L-405nm Category not available on GeM for the text string uploaded by the buyer Searched String: Cube beam splitter 25mm Fourier Transform Infra Red (FTIR) Spectrometer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Micro/Semi-Micro/Analytical weighing balance
बीओव्यू शीर्षक /BOQ Title	Physics Department Equipment OH35
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	2 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7

बिड विवरण/Bid Details	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	CMOS camera
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	1181145
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Registrar

M G Avenue , Durgapur 713209, Wb, Department of Higher Education, National Institute of Technology (NIT),
Ministry of Education
(Registrar)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity

during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1 + 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
16-02-2026 12:00:00	Senate Hall, SN Ray Memorial Building, NIT Durgapur

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	अनुमानित मूल्य / Estimated Value	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	92569	Cmos Camera	1
Schedule 2	99120	Optical Breadboard	4

Schedule 3	166224	Plancks Constant Apparatus	2
Schedule 4	45747	Lambda 4 Quartz Wave Plate Zero Order	1
Schedule 5	45747	Lambda 2 Quartz Wave Plate Zero Order	1
Schedule 6	5522	Screen Holders	6
Schedule 7	1416	Irish Diaphragm	1
Schedule 8	8496	Magnetic Base	3
Schedule 9	9440	Lens Holders	2
Schedule 10	16520	Green Diode Laser With Power Supply	1
Schedule 11	8471	Red Diode Laser With Power Supply	1
Schedule 12	16388	Linear Polarizer Polarizing Film	7
Schedule 13	8156	Polarization Tester Polarizing Film	2
Schedule 14	28975	Plano-convex Cylindrical Lensf 150mm	1
Schedule 15	22564	Plano-convex Cylindrical Lens F 250mm	1
Schedule 16	28975	Plano-convex Cylindrical Lens F 500mm	1
Schedule 17	4832	Manual Polarizer Rotator	1
Schedule 18	17528	Precision Polarizer Rotator With Tilt	1
Schedule 19	62445	Non-polarizing Cube Beam Splitter	2
Schedule 20	24426	Fabry - Perot Interferometer	1
Schedule 21	9633	Post Holders	10
Schedule 22	5233	Posts	10
Schedule 23	6733	Bases	10
Schedule 24	24992	Laser Power Meter	1
Schedule 25	23364	Rotational Stage	2
Schedule 26	23392	Pinhole 5um	3
Schedule 27	349280	Analytical Weighing Balance	1
Schedule 28	20650	Diode Laser With Power Supply - More Than 5milli Watt. W L-405nm	1
Schedule 29	4307	Cube Beam Splitter 25mm	1

CMOS Camera

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विवरिषियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Optical Breadboard

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	4	30

Plancks Constant Apparatus

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Lambda 4 Quartz Wave Plate Zero Order

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Lambda 2 Quartz Wave Plate Zero Order

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Screen Holders

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	6	30

Irish Diaphragm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Magnetic Base

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	30

Lens Holders

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Green Diode Laser With Power Supply

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Red Diode Laser With Power Supply

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Linear Polarizer Polarizing Film

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	7	30

Polarization Tester Polarizing Film

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Plano-convex Cylindrical Lensf 150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Plano-convex Cylindrical Lens F 250mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Plano-convex Cylindrical Lens F 500mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Manual Polarizer Rotator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Precision Polarizer Rotator With Tilt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Non-Polarizing Cube Beam Splitter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Fabry - Perot Interferometer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Post Holders

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Posts

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Bases

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	10	30

Laser Power Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Rotational Stage

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	2	30

Pinhole 5um

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	3	30

Analytical Weighing Balance

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Diode Laser With Power Supply - More Than 5milli Watt. W L-405nm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

Cube Beam Splitter 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Asit Kumar	713209,M G AVENUE DURGAPUR , WB-713209	1	30

क्रेता द्वारा जोड़ी गई बिट की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for

attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)

9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस नियिदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---ધ્યાદ/Thank You---