NOTICE INVITING TENDER (E-PROCUREMENT MODE)

NATIONAL INSTITUTE OF TECHNOLOGY DURGAPUR

MAHATMA GANDHI AVENUE

DURGAPUR -713 209, WEST BENGAL, INDIA

FAX: +91-343-275 7375 E-mail: anirban.sarkar@cse.nitdgp.ac.in; Website: www.nitdgp.ac.in

Contact No.: 9434788195

NOTICE INVITING TENDER NO.:NITD/CC/COMPUTERS/2019/02 Date: 23.07.2019

National Institute of Technology Durgapur is in the process of purchasing following item(s) as per details as given as under.

Items	NOTICE INVITING E-TENDER FOR supply and installation of (1) DESKTOP COMPUTER-A and (2) DESKTOP COMPUTER-B, (3) GPU based Server, (4) Intel Based Server, (5) Laptop/ Notebook Computer, (6) Double	
	Conversion On-Line UPS at Computer Centre, NIT Durgapur	
Earnest Money Deposit to be submitted	Please refer to the Schedule at page 2 and T&C at page11	
(EMD)		
Warranty	Twelve months	
Performance security	The successful bidder must submit before release of payment a valid bank guarantee on any nationalized bank amounting 10 % of the order value towards Performance Security during the warranty period plus 60 days.	
Completion/Delivery Period in Calendar Days	Within 60 days from the date of issuing Purchase Order/Work Order/Award of Contract.	

Tender Documents be downloaded from Central Public Procurement Portal may http://eprocure.gov.in/eprocure/app. Aspiring Bidders who have not enrolled /registered in eprocurement should enrol/ register before participating through the website http://eprocure.gov.in/eprocure/app. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission.

Bidders can access tender documents on the website(For searching in the CPPP site, kindly go to Tender Search option and type 'NIT'. Thereafter, Click on "GO" button to view all NIT Durgapur tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page. All quotation (both Technical and Financial should be submitted in the E-procurement portal).

SCHEDULE

National Institute of Technology Durgapur	
Open	
Goods	
Buy	
Institute	
NO	
23.07.2019(17.00 Hrs.)	
23.07.2019(17.00 Hrs.)	
NIL	
23.07.2019 (17.00 Hrs.)	
16.08.2019(12.00Hrs)	
Computer Centre, NIT Durgapur, West Bengal,	
India	
17.08.2019 (15.00 Hrs)	
19.08.2019 (10.00Hrs)	
Rs. NIL /-	
1) DESKTOP COMPUTER-A (75 Qty.) : Rs. 75,000/-	
2) DESKTOP COMPUTER-B (25 Qty.) : Rs. 27,500/-	
3) GPU based Server: (QTY – 01) : Rs. 18,000/-	
4) Intel Based Server: (QTY – 02) : Rs. 18,000/-	
5) Laptop/ Notebook Computer (QTY 05): Rs. 27,000/-	
6) Double Conversion On-Line UPS (3Qty): Rs. 7,000/-	
02	
60 days (From date of opening of price bid)	
Dr. AnirbanSarkar	
Associate Professor,	
Department of Computer Science & Engineering,	
Head of Computer Centre National Institute of Technology Durgapur	
1 Dirgaptir = 713709	
Durgapur – 713209 9434788195	

Instructions for Online Bid Submission:

As per the directives of Department of Expenditure, this tender document has been published in the Central Public Procurement Portal (URL:<u>http://eprocure.gov.in/eprocure/app</u>). The bidders are required to submit soft copies of their bids electronically on the CPP portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

http://eprocure.gov.in/eprocure/app

REGISTRATION

- Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL:http://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enrol". Enrolment on the CPP Portal is free of charge.
- As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.

NIT DURGAPUR

NITD/CC/COMPUTERS/2019/02 Page 2 of 27

- Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India, with their profile.
- Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- Bidder then logs in to the site through the secured log-in by entering their user ID/ password and the password of the DSC/ e-Token.

SEARCHING FOR TENDER DOCUMENTS

- There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS/ email in case there is any corrigendum issued to the tender document.
- The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF/ XLS/ RAR/ DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1. Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3. Whenever, EMD/ Tender fees are sought, bidders need to pay the tender fee and EMD separately on line through RTGS (or alternatively Demand Draft may be sent to the address for communication mentioned in schedule, if mode of payment is through DD). Account details are given below.

Account Name: NIT Society Durgapur Bank Name: State Bank of India Branch: NIT Durgapur, Durgapur-713209, Dist- Paschim Bardhaman, West Bengal, Pin- 713209 IFSC Code: **SBIN0002108** Bank Account Number: **11520034072** MICR Code: **713002204** (Scanned copy of the RTGS challan should be submitted at the Technical folder)

- 4. A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.
- 5. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8. Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9. Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

General Instructions to the Bidders

- 1. The tenders will be received online through portal **http://eprocure.gov.in/eprocure/app.** In the Technical Bids, the bidders are required to upload all the documents in pdf format.
- 2. Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".
- 3. Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the e submission of the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app.

NATIONAL INSTITUTE OF TECHNOLOGY, DURGAPUR

MAHATMA GANDHI AVENUE

DURGAPUR -713 209, WEST BENGAL, INDIA

FAX: +91-343-275 5278 E-mail: anirban.sarkar@cse.nitdgp.ac.in; Website: www.nitdgp.ac.in

Contact No.: 9434788195

NOTICE INVITING TENDER NO.: NITD/CC/COMPUTERS/2019/02 Date: 23.07.2019

Sub: NOTICE INVITINGE-TENDER FOR supply and installation of (1) DESKTOP COMPUTER-A and (2) DESKTOP COMPUTER-B, (3) GPU based Server, (4) Intel Based Server, (5) Laptop/ Notebook Computer, (6) Double Conversion On-Line UPSatComputer Centre, NIT Durgapur

TECHNICAL SPECIFICATIONs:

(1) DESKTOP COMPUTER-A (Qty-75.)

Justifications: To be used for General Purpose and Specialized Laboratories

Sl.No.	Feature	Specifications	
1	Processor	Intel® 8th Generation Core i5 8500, with minimum base frequency of 3.0 Ghz. 6 Cores , 9 MB Cache or higher	
2	Chipset	Intel Q 370 Or latest	
3	Motherboard	OEM Motherboard with logo embossed (no sticker)	
4	Memory	8GB (For Desktop Computer A) DDR4 RAM expandable to 64GB;Four DIMM slots; Non-ECC dual-channel up to 2666 MT/s DDR4SDRAM	
5	Hard Disk Drive	1TB HDD, 7200 RPM	
6	Optical Drive	8x DVD Writer	
7	Graphics	Intel Integrated 630 Graphics	
8	Audio	High Definition Integrated Audio with Internal Speaker	
9	Ethernet	Integrated Gigabit (10/100/1000 NIC) LAN & inbuilt wifi	
10	Slots	Minimum 4 PCI/PCIe Slots with at least 1 x PCIex16	
11	D	(2) 3.5" Internal drive bays	
11	1 Bays (1) ODD bay		
12	Ports	Minimum 8 USB Ports (4 USB 3.1 Gen 1, 4 USB 2.0) out of which 2 USB ports in front,(1) VGA video port; (1) HDMI Port, (1) RJ-45 network connector, (1) RS-232 serial port, 1 universal audio jack for headphone& MIC, 1 audio line in, 1 audio line out	
10	V. L. 101	USB 104 keys keyboard (Same make as PC)	
13	Keyboard/Mouse USB 2 Button Scroll Mouse (Same make as PC)		
14	Operating System	Genuine Microsoft Windows 10 Pro 64-bit	
15	Security	TPM 2.0 Security Chip, SATA port disablement (via BIOS), Serial, USB enable/disable (via BIOS), Removable media write/boot control, Power-On password (via BIOS), Administrator password (via BIOS)	
16	Compliance And Certification	Energy Star for the given form factor of desktop & monitor, FCC, CE, UL, Windows & Linux Certificate, ISO 9001, 14001,20001,27001 for OEM	
17	Information Accessibility	Product details, specifications and brochure to be available in public domain	
18	Support / Warranty	3 Years onsite warranty, Drivers should be available for download from OEM site for at least 3 years from the date of installation	
19	Monitor	21.5 " LED backlit with Minimum resolution of 1920x1080 with VGA & HDMI input	
20	Other	The detailed Technical specifications of the Model with images should be available to public on OEM's official website for verification.	

(2) DESKTOP COMPUTER-B (Qty-25.) Justifications: To be used for General Purpose and Specialized Laboratories

S.No.	Feature	Specifications	
1	Processor	Intel® 8th Generation Core i5 8500, with minimumbase frequency of 3.0 Ghz, 6 Cores , 9 MB Cache or higher	
2	Chipset	Intel Q 370 Or latest	
3	Motherboard	OEM Motherboard with logo embossed (no sticker)	
4	Memory	16 GB (For Desktop Computer B)DDR4 RAM expandable to 64GB; Four DIMM slots; Non-ECC dual-channel up to 2666 MT/s DDR4 SDRAM	
5	Hard Disk Drive	1TB HDD, 7200 RPM	
6	Optical Drive	8x DVD Writer	
7	Graphics	Intel Integrated 630 Graphics	
8	Audio	High Definition Integrated Audio with Internal Speaker	
9	Ethernet	Integrated Gigabit (10/100/1000 NIC) LAN & inbuilt wifi	
10	Slots	Minimum 4 PCI/PCIe Slots with atleast 1 x PCIex16	
	11 Bays (2) 3.5" Internal drive bays (1) ODD bay		
11			
12	Ports	Minimum 8 USB Ports (4 USB 3.1 Gen 1, 4 USB 2.0) out of which 2 USB ports in front,(1) VGA video port; (1) HDMI Port, (1) RJ-45 network connector, (1) RS-232 serial port, 1 universal audio jack for headphone& MIC, 1 audio line in, 1 audio line out	
10	USB 104 keys keyboard (Same make as PC) VSD 2 P 0		
13	Keyboard/Mouse	USB 2 Button Scroll Mouse (Same make as PC)	
14	Operating System	Genuine Microsoft Windows 10 Pro 64-bit	
15	Security	TPM 2.0 Security Chip, SATA port disablement (via BIOS), Serial, USB enable/disable (via BIOS), Removable media write/boot control, Power-On password (via BIOS), Administrator password (via BIOS)	
16	Compliance And Certification	Energy Star for the given form factor of desktop & monitor, FCC, CE, UL, Windows & Linux Certificate, ISO 9001, 14001,20001,27001 for OEM	
17	Information Accessibility	Product details, specifications and brochure to be available in public domain	
18	Support / Warranty	3 Years onsite warranty, Drivers should be available for download from OEM site for at least 3 years from the date of installation	
19	Monitor	21.5 " LED backlit with Minimum resolution of 1920x1080 with VGA & HDMI input	
20	Other	The detailed Technical specifications of the Model with images should be available to public on OEM's official website for verification.	

(3) GPU based Server: (QTY – 01)

Justifications: To be used for High Performance Computing facilities towards research

Technical Specification:

- (a) CPU: 2 x Intel Xeon Silver 4114 2.2G, 10C/20T, 9.6GT/s, 14M Cache, Turbo, HT (85W) DDR4-2400
- (b) GPU: NVIDIA Tesla V100 PCIe or equivalent 32GB Module (1 No)
- (c) Chassis with up to 8 x 2.5" SAS/SATA Hard
- (d) Memory: 192 GB (6 X 32GB) RDIMM, 2666MT/s, Dual Rank DIMM Blanks for System with 2 Processors.
- (e) 2 x 960GB SSD SATA Mix Use 6Gbps 512e in Hot-plug Drive
- (f) 3 x 4TB 7.2K RPM NLSAS 12Gbps 512e in Hot-plug Hard Drive
- (g) Monitor: 21" TFT
- (h) Compatible RAID Controller
- (i) Network Controller: Standard compliant 2 Port 10Gb Base-T + 2 Port 1Gb Base-T
- (j) I/O: DVD RW SATA Internal
- (k) Dual, Hot-plug, Redundant Power Supply,
- (1) Optical Mouse and standard Keyboard
- (m) Power Saving Active Power Controller
- (n) Ready Rails Sliding Rails with Cable Management Arm
- (o) OS: Ubuntu Canonical
- (p) Certification: UEFI, ACPI, Energy Star, Redfish API, SMBIOS
- (q) Warranty: 3Yrs onsite warranty.

(4) Intel Based Server: (QTY – 02)

Justification: To maintain centralized licenced software like MatLab, CAD, ComSol etc.

Sl. No.	Features	Item Specification	
1	Chassis	1U Rack Mountable	
2	CPU	Intel Xeon-Gold 5120 (2.2GHz/14-core/105W) FIO Processor Kit or Higher	
3	CPU L3 CACHE Memory	19 MB or Higher.	
4	Motherboard	Intel® C621 Series Chipset	
5	Memory	24DIMM slots. 192 GB (12 nos 16GB RAM) DIMMS scalable upto 1.5 TB using DDR4 Load Reduced DIMM (LRDIMM) operating at 2600 MHz	
	Memory Protection	Advanced ECC with multi-bit error protection, Online spare, mirrored memory and fast fault tolerance	
6	HDD Bays	Up to 8+2 SFF HDD/SSD or10 NVMePCIe SSD The drive carrier should have intutive icon based display along with "DO NOT REMOVE" caution indicator that gets activated automatically in order to avoid dataloss/downtime due to wrong drive removal.	
7	Hard disk drive	4 Nos 600GB SAS 12G Enterprise 10K SFF (2.5in) HDD	

8	Controller	 Server should support Onboard SATA software RAID controller supporting SSD/HDD and at least two M.2 drives In addition, server should support one of the below controllers supporting Mixed Mode which combines RAID and HBA mode, PCIe 3.0 based 12Gb/s SAS Raid Controller with RAID 0/1/1+0/5/50/6/60/1 Advanced Data Mirroring/10 Advanced Data Mirroring (onboard or on a PCI Express slot) or PCIe 3.0 based 12Gb/s SAS Raid Controller with RAID 0/1/1+0/5/50/6/60/1 Advanced Data Mirroring/10 Advanced Data Mirroring with PCIe 3.0 based 12Gb/s SAS Raid Controller with RAID 0/1/1+0/5/50/6/60/1 Advanced Data Mirroring/10 Advanced Data Mirroring with 4GB battery backed write cache (onboard or on a PCI Express slot) Storage controller should support Secure encryption/data at rest Encryption 	
9	Networking features	 Server should support below networking cards: 1. 1Gb 4-port network adaptors 2. 10Gb 2-port Ethernet adaptor 3. 10GBaseT 4-port Ethernet adaptor 4. 4x25Gb Ethernet adaptor 5. 10/25Gb 2-port Ethernet adaptor Infiniband Options: 40Gb dual port or 100Gb Single or Dual port Adapter 100Gb Single port Omni path adaptor 	
10	Interfaces	Serial - 1 Micro SD slot - 1 USB 3.0 support With Up to 5 total: 1 front, 2 internal, 2 rear, 2 internal (secure)	
11	Industry Standard Compliance	ACPI 6.1, PCIe 3.0, PXE Support, WOL Support, Microsoft® Logo certifications, Energy Star, ASHRAE A3/A4, UEFI, SMBIOS, Redfish API, IPMI 2.0, SNMP v3, TLS 1.2, Active Directory v1.0	
12	Operating Systems and Virtualization Software Support	Red Hat Enterprise Linux (RHEL)	
13	GPU support	System should support NVIDIA's latest computational accelerators and graphics accelerators	
14	Warranty	Server Warranty includes 3-Year Parts, 3-Year Labour, 3-Year Onsite support with next business day response.	

(5) Laptop/ Notebook Computer (QTY – 05)

*Justification:*NetworkService monitoring and active component Maintenance; ERP software management; Website development and information management; HOC office use; Sr. Medical Officer; Registrar; Technical Officer; For General purpose issuance to External Audit, Seminar, Workshop etc.

Sl. No.	Features	Brief Description
1	Processor	Intel i5 8th gen, 2.3 GHz base frequency, 8 MB cache, 4 cores
2	Chipset	System on Chip
3	Wireless	Integrated wireless 802.11 b/g/n / ac with Bluetooth 4.0
4	Memory	8GB DDR 4 RAM expandable to 16 GB
5	Hard Disk Drive	SSD 256GB M2 SATA-3 TLC
6	Graphics	Integrated Graphics HD 620
7	Display	Min. 13.3" and Max. 14" diagonal LED-backlit (1366 x 768 Min. resolution)
8	Optical Drive	Internal / External DVDRW
9	Webcam	Minimum integrated 720p HD webcam
10	Keyboard	Backlit spill-resistant keyboard

NITD/CC/COMPUTERS/2019/02 Page 8 of 27

11	Connectivity Interface	Integrated Ethernet 10/100/1000 NIC, Integrated wireless 802.11 b/g/n, Intel Dual Band -AC, Bluetooth 4.2	
		VGA - One(1)	
		HDMI 1.4a- One(1)	
12	Ports	Headphone / microphone Combo : One (1)	
		Power connector -One(1)	
		Minimum 3 USB 3.0 Ports with atleast 1 type C	
13	Integrated Media Card Reader	1 multi-format digital media reader	
14	Weight not more than 2.2 Kgs with battery		
15	Security	TPM 2.0	
16 0	Succhar / Misson house	Integrated stereo speakers; HD audio	
16	Speaker / Microphones	Integrated dual array microphone	
17	Battery	Internal battery with minimum 6 Hours of battery back-up time	
18	Operating System	Genuine Windows 10 Pro	
19	OS Certification	Must be certified for Windows & DOS	
20	Warranty	3 Year Onsite Warranty	
21	AC Adapter	Standard Indian Adaptor	
22	Industry Standard Certifications	UL, FCC Compliance, Energy Star	

(6) Double Conversion On-Line UPS (Qty-03)

Technical Specification		Complied Yes/No	Deviations if any
UPS Topology	Double Conversion On-Line		
Power Rating (VA / Watts)	16 kW / 20 kVA		
Form Factor	Rack/Tower		
	Output parameter		
Output Power Capacity	16 kW / 20 kVA		
Max Configurable Power	16 kW / 20 kVA		
Nominal Output Voltage	230V		
Output Voltage Note	Configurable for 400 or 415V 3 Phase nominal output voltage		
Efficiency at Full Load	94.00%		
Output Voltage Distortion	Less than 3%		
Output Frequency (sync to mains)	50/60 Hz +/- 3 Hz user adjustable +/- 0.1		
Other Output Voltages	2202404,00,415		
Crest Factor	03:01		
Waveform Type	Sine wave		
Output Connections	(1) Hard Wire 3-wire (H N + G), Terminal based		
	(4) IEC 320 C13		
	(4) IEC 320 C19		
_	(4) IEC Jumpers		
Bypass	Internal Bypass (Automatic and Manual)		
optional	Input 3 phase output 3 phase/Input 3 Phase Output 1 Phase/Input 1 Phase Output 1 Phase		
DC Bus Voltage	384V DC Bus /32 Nos of Battery		
-	Input Parameter		1
Nominal Input Voltage	230V		
Input Frequency	40 - 70 Hz (auto sensing)		
Input Connections	Hard Wire 3 wire (1PH+N+G)		

NIT DURGAPUR

NITD/CC/COMPUTERS/2019/02 Page 9 of 27

	Hard Wire 5-wire $(3PH + N + G)$	
Input voltage range for main operations	160 - 280V	
Other Input Voltages	2202404,00,415	
Maximum Input Current	115A	
Input Breaker Capacity	125.0 A	
Communications & Management		
Interface Port(s)	DB-9 RS-232,RJ-45 10/100 Base-T, Smart-Slot	
Pre InstalledSmartSlot [™] Interface Quantity	SNMP card inbuilt in UPS	
Control panel	Multi-function LCD status and control console	
Audible Alarm	Audible and visible alarms prioritized by severity	
Emergency Power Off (EPO)	Yes	
	Environmental	
Operating Environment	0 - 40 °C	
Operating Relative Humidity	0 - 95%	
Operating Elevation	0-3000 meters	
Storage Temperature	-15 - 45 °C	
Storage Relative Humidity	0 - 95%	
Storage Elevation	0-15000 meters	
Audible noise at 1 meter from surface of unit	59.00 dBA	
Online Thermal Dissipation	2216.00 BTU/hr	
coating	conformal coating on PCB for harsh environment and humidity	
Efficiency	94%	
	Conformance	i
Regulatory Approvals	EN/IEC 62040-2,EN/IEC 62040-1-1	
Standard Warranty	2 years repair or replace, optional on- site warranties available, optional extended warranties available	
Quality	ISO 9001, ISO 14001, OHSAS 18001	
Toll Free no	24*7*365 days Toll free No available	
	60 Min Battery Back up	
Battery Type	Maintenance - free sealed Lead-Acid battery with suspended electrolyte: Leak-proof.	
Nos. of Battery	32 Nos. 12V X 65ah	
Battery Make	Rocket / Quanta / Exide	
Warranty	2 years onsite warranty after successful installation	
Total VAH	24960VAH	

Validity of quotation required	:60 days from the date of opening of price bid.	
Delivery Period	:60 days from the date of placement of purchase order	
Payment	: 100 % on commissioning	
Place of Delivery	: Computer Centre, NIT Durgapur	
Installation/ commissioning/ demo	oning/ demonstration requirement: Computer Centre, NIT Durgapur	
A complete set of tender documents may be downloaded by prospective bidder free of cost from the		
website:	http://eprocure.gov.in/eprocure/app.	

Documents to be submitted in the Technical Folder:

- 1. Digitally signed copy of the filled in Notice Inviting Tender (NIT)
- 2. Detailed technical specifications and literature/ drawings/ manuals of the goods/ services have to be supplied,
- 3. Authorized dealership certificate from the original manufacturer, if applicable,
- 4. EMDexemption certificate as per "Terms & Conditions Details: Serial No.-3" whichever applicable.
- 5. List of other important documents

Sl. No.	Category	Sub Category Sub Category Description	
1	Certificate	GST Registration Certificate	GST Registration Certificate
	Details	Partnership Deed (If applicable)	Partnership Deed
		Permanent Account Number	Permanent Account Number Details
		Power of Attorney (If applicable)	Power of Attorney
		Registration Certificate	The trade licence/Establishment certificate
2	Purchase Order Details	Purchase Orders - 1	Purchase Orders - 1
3	Work Details	Work Completed Certificate Copies	Work Completed Certificate Copies(Should be at least 40 % of the total quoted amount and should be of similar type of supply/works)

Terms & Conditions Details

Sl. No.	Particulars / Specification		
1	Due date : The tender has to be submitted on-line before the due date. The offers received after the due date and time will not be considered.		
2	Preparation of Bids: The offer/bid should be submitted in two bid systems (i.e.) Technical bi		
	and financial bid. The technical bid should consist of all technical details along with commercial		
	terms and conditions. Financial bid should indicate item wise price for the items mentioned in the		
	technical bid in the given format. The Technical bid and the financial bid should be submitted Online.		
3	 <u>EMD (if applicable):</u> The tenderer/bidder should submit an EMD amount through RTGS/NE in favour of NIT Durgapur, payable at Durgapur, in any nationalized bank. The Technical I without EMD would be considered as UNRESPONSIVE and will not be accepted. The EM will be refunded without any interest to the unsuccessful bidders after the award of contra Earnest Money Deposit (EMD / Bid Security (BS) has to be submitted by bidders except the who are registered with National Small Industries Corporation (NSIC)/ Ministry of Micro Small 		
	Medium Enterprises or as per GFR 2017 guidelines. However, this certificate should be for manufacturing of the item indented and not for selling items manufactured by other firms. The certificate should be valid up to bid validity.		
	** As the system is not allowing to enter EMD value item-wise separately, but the BoQ		
	is item-wise, please ignore EMD value as 2, [the minimum EMD value is 2% so the		
Items:-	numeric 2 is used at EMD field in CPP Portal]. <u>Please strictly follow EMD schedule as</u>		
	given below.		
	1)DESKTOP COMPUTER-A (75 Qty.) : Rs. 75,000/-		
	2)DESKTOP COMPUTER-B (25 Qty.) : Rs. 27,500/-		
	3) GPU based Server: (QTY – 01) : Rs. 18,000/-		
	4) Intel Based Server: (QTY – 02) : Rs. 18,000/-		
	5) Laptop/ Notebook Computer (QTY – 05) : Rs. 27,000/-		
	6) Double Conversion On-Line UPS (3Qty) : Rs. 7,000/-		

4	Refund of EMD : The EMD will be returned to unsuccessful bidders only after the tenders are	
	finalized. In case of successful bidder, it will be retained till the successful and complete	
	installation of the equipment and submission of performance/security deposit.	
5	Opening of the tender : The online bid will be opened by a committee duly constituted for this	
-	purpose. Online bids (complete in all respect) received along with EMD (if any) will be opened	
	as mentioned at "Annexure: Schedule" in presence of the representative of bidders if available.	
	Only one representative from each bidder will be allowed to participate in the tender opening.	
	Bid received without EMD (if present) will be rejected straight way. The technical bid will be	
	opened online first and it will be examined by a technical committee (as per specification and	
	requirement). The financial offer/bid will be opened only for the offer/bid which technically	
	meets all requirements as per the specification. The bidders if interested may participate on the	
	tender opening Date and Time. The bidder should produce authorization letter from their	
6	company to participate in the tender opening.	
6	Acceptance/ Rejection of bids: The Committee reserves the right to reject any or all offers	
	without assigning any reason.	
7	Pre-qualification criteria:	
	(i) Bidders should be the manufacturer / authorized dealer. Letter of Authorization from original	
	equipment manufacturer (OEM) on the same and specific to the tender should be enclosed.	
	(ii) An undertaking from the OEM is required stating that they would facilitate the bidder on a	
	regular basis with technology/product updates and extend support for the warranty as well.	
	(Ref. Annexure-II)	
	(iii) Non-compliance of tender terms, non-submission of required documents, lack of clarity of	
	the specifications, contradiction between bidder specification and supporting documents etc.	
	may lead to rejection of the bid.	
	(iv) In the tender, either the Indian agent on behalf of the Principal/OEM or Principal/OEM itself	
	can bid but both cannot bid simultaneously for the same item/product in the same tender.	
	(v) If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid	
	on behalf of another Principal/OEM in the same tender for the same item/product.	
8	Performance Security : The supplier shall require to submit the performance security in the form	
	of irrevocable bank guarantee issued by any Indian Nationalized Bank for an amount which is	
	stated in the tender document, within 21 days from the date of receipt of the purchase order/LC	
	and should be kept valid for a period of 60 days beyond the date of completion of warranty	
	period or the same will be deduced from the bill/ invoice before payment is made. The same will	
	be released on application by the supplier after the said interval (warranty period + 60 days).	
9	Force Majeure: The Supplier shall not be liable for forfeiture of its performance sec	
	liquidated damages or termination for default, if and to the extent that, it's delay in performan	
	or other failure to perform its obligations under the Contract is the result of an event of Force	
	Majeure.	
	• For purposes of this Clause, "Force Majeure" means an event beyond the control of the	
	Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events	
	may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual	
	capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight	
	embargoes.	
	• If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in	
	writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in	
	writing, the Supplier shall continue to perform its obligations under the Contract as far as is	
	reasonably practical, and shall seek all reasonable alternative means for performance not	
	prevented by the Force Majeure event.	
10	Risk Purchase Clause: In event of failure of supply of the item/equipment within the stipulated	
	delivery schedule, the purchaser has all the right to purchase the item/equipment from the other	
	source on the total risk of the supplier under risk purchase clause.	
11	Packing Instructions: Each package will be marked on three sides with proper paint/indelible	
	ink, the following:	
	i. Item Nomenclature	
	ii. Order/Contract No.	
	iii. Country of Origin of Goods	
	iv. Supplier's Name and Address	
	v. Consignee details	
	vi. Packing list reference number	

10		
12	Delivery and Documents:	
	Delivery of the goods should be made within a 60days from the date of placement of purchase	
	order. Within 24 hours of shipment, the supplier shall notify the purchaser and the insurance	
	company by cable/telex/fax/e mail the full details of the shipment including contract number,	
	railway receipt number/ AAP etc. and date, description of goods, quantity, name of the	
	consignee, invoice etc. The supplier shall mail the following documents to the purchaser with a	
	copy to the insurance company:	
	1. 4 Copies of the Supplier invoice showing contract number, goods' description, quantity	
	2. Unit price, total amount;	
	3. Insurance Certificate if applicable;	
	4. Manufacturer's/Supplier's warranty certificate;	
	5. Inspection Certificate issued by the nominated inspection agency, if any	
	6. Supplier's factory inspection report; and	
	7. Certificate of Origin (if possible by the beneficiary);	
	8. Two copies of the packing list identifying the contents of each package.	
	9. The above documents should be received by the Purchaser before arrival of the Goods	
	(except where the Goods have been delivered directly to the Consignee with all	
	documents) and, if not received, the Supplier will be responsible for any consequent	
	expenses	
13	Delayed delivery: If the delivery is not made within the due date for any reason, the Committee	
	will have the right to impose penalty @ 1% per week and the maximum deduction is 10% of the	
	contract value / price.	
14	Prices: The price should be quoted in net per unit (after breakup) and must include all packing	
	and delivery charges. The offer/bid should be exclusive of taxes and duties, which will be paid	
	by the purchaser as applicable. However the percentage of taxes & duties shall be clearly	
	indicated. The price should be quoted without custom duty and excise duty, since NIT	
	Durgapur is exempted from payment of Excise Duty and is eligible for concessional rate of	
	custom duty. Necessary certificate will be issued on demand.	
	In case of imports, the price should be quoted on FOB/FCA origin Airport Basis on	
	Under special circumstances (e.g. perishable chemicals), when the item is imported on C	
	please indicate CIF charges separately up to NIT Durgapur indicating the mode of shipment.	
	NIT Durgapur will make necessary arrangements for the clearance of imported goods at the	
	Airport/Seaport. Hence the price should not include the above charges. At any circumstances,	
	it is the responsibility of the foreign supplier to handover the material to our forwarder	
	at the origin airport after completing all the inland clearing. No Ex- Works consignment	
	will be entertained. "In case of CIF shipments, kindly provide the shipment information at	
	least 2 days in advance before landing the shipment along with the documents i.e. invoice,	
	packing list, forwarder Name, address, contact No. in India to save penalty/demurrage charges	
	(imposed by Indian Customs) . Otherwise these charges will be recovered from the	
	supplier/Indian Agent."	
	a) The contract shall be for the full quantity as described above	
	b) All duties, entry taxes, transport, insurance and other levies payable by the	
	contractor under the contract shall be included in the total price F.O.R. NIT	
	Durgapur.	
	c) The rates quoted by the bidder shall be fixed for the duration of the contract and	
	shall not be subject to adjustments on any account.	
	 d) The Prices should be quoted in Indian Rupees only. a) The base prices includes all times of prices ground CST. 	
	e) The base price includes all type of prices except GST	
	f) 18% GST for On-Line UPS & 5% GST for Other Items will be Applicable.	

15	 Notices: For the purpose of all notices, the following shall be the address of the Purchaser and Supplier. Purchaser: Dr.AnirbanSarkar Associate Professor, Department of Computer Science Engineering, Head of Computer Centre, National Institute of Technology Durgapur M. G. Avenue. Durgapur -713209, West Bengal. INDIA Supplier: (To be filled in by the supplier) (All complication changed advantation comparison for example of the supplier)
16	 (All supplier's should submit its supplies information as per Annexure-II). Progress of Supply: Wherever applicable, supplier shall regularly intimate progress of supply, in writing, to the Purchaser as under: Quantity offered for inspection and date; Quantity accepted/rejected by inspecting agency and date; Quantity dispatched/delivered to consignees and date; Quantity where incidental services have been satisfactorily completed with date; Quantity where rectification/repair/replacement effected/completed on receipt of anycommunication from consignee/Purchaser with date; Date of completion of entire Contract including incidental services, if any; and Date of receipt of entire payments under the Contract (In case of stage-wise inspection, details required may also be specified).
	 Inspection and Tests: Inspection and tests prior to shipment of Goods and at final acceptance are as follows: After the goods are manufactured and assembled, inspection and testing of the goods shall be carried out at the supplier's plant by the supplier, prior to shipment to check whether the goods are in conformity with the technical specifications attached to the purchase order. Manufacturer's test certificate with data sheet shall be issued to this effect and submitted along with the delivery documents. The purchaser shall be present at the supplier's premises during such inspection and testing if need is felt. The location where the inspection is required to be conducted should be clearly indicated. The supplier shall inform the purchaser about the site preparation, if any, needed for installation of the goods at the purchaser's site at the time of submission of order acceptance. The acceptance test will be conducted by the Purchaser, their consultant or other such person nominated by the Purchaser at its option after the equipment is installed at purchaser's site in the presence of supplier's representatives. The acceptance will involve trouble free operation and ascertaining conformity with the ordered specifications and quality. There shall not be any additional charges for carrying out acceptance test. No malfunction, partial or complete failure of any part of the equipment is expected to occur. The Supplier shall maintain necessary log in respect of the result of the test to establish to the entire satisfaction of the Purchaser, the successful completion of the test specified. In the event of the ordered item failing to pass the acceptance test, a period not exceeding one weeks will be given to rectify the defects and clear the acceptance test, failing which the Purchaser. Successful conduct and conclusion of the acceptance test for the installed goods and equipment shall also be the responsibility and at the cost of the Supplier.
17	 Resolution of Disputes: The dispute resolution mechanism to be applied pursuant shall be as follows: In case of Dispute or difference arising between the Purchaser and a domestic supplier relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Indian Arbitration & Conciliation Act, 1996, the rules there under and any statutory modifications or re-enactments thereof shall apply to the arbitration proceedings. The dispute shall be referred to the Director, National Institute of Technology Durgapur and if he is unable or unwilling to act, to the sole arbitration of some other person appointed by him willing to act as such Arbitrator. The award of the arbitrator so appointed shall be final, conclusive and binding on all parties to

	 this order. In the case of a dispute between the purchaser and a Foreign Supplier, the dispute shall be settled by arbitration in accordance with provision of sub-clause (a) above. But if this is not acceptable to the supplier then the dispute shall be settled in accordance with provisions of UNCITRAL (United Nations Commission on International Trade Law) Arbitration Rules. The venue of the arbitration shall be the place from where the order is issued.
18	Applicable Law: Settlement of any dispute will be made under the jurisdiction of Durgapur Court.
19	Right to Use Defective Goods If after delivery, acceptance and installation and within the guarantee and warranty period, the operation or use of the goods proves to be unsatisfactory, the Purchaser shall have the right to continue to operate or use such goods until rectifications of defects, errors or omissions by repair or by partial or complete replacement is made without interfering with the Purchaser's operation.
20	Supplier Integrity The Supplier is responsible for and obliged to conduct all contracted activities in accordance with the Contract using state of the art methods and economic principles and exercising all means available to achieve the performance specified in the contract.
21	Training The Supplier is required to provide training to the designated Purchaser's technical and end user personnel to enable them to effectively operate the equipment.
22	Installation & Demonstration Installation and demonstration of the equipment within one month of the arrival of materials at the NIT Durgapur will carried out at the site of installation. In case of any mis-happening/damage to equipment and supplies during the carriage of supplies from the origin of equipment to the installation site, the supplier has to replace it with new equipment/supplies immediately at his own risk. Supplier will settle his claim with the insurance company as per his convenience. NIT Durgapur will not be liable to any type of losses in any form.
23	Insurance: For delivery of goods at the purchaser's premises, the insurance shall be obtained by the supplier in an amount equal to 110% of the value of the goods from "warehouse to warehouse" (final destinations) on "All Risks" basis including War Risks and Strikes. The insurance shall be valid for a period of not less than 3 months after installation and commissioning. If orders placed on CIF basis, the insurance should be up to NIT DURGAPUR.
24	 Incidental services: The incidental services also include: Furnishing of 01 set of detailed operations & maintenance manual. Arranging the shifting/moving of the item to their location installation within NITD premises at the cost of Supplier through their Indian representatives.

25	Womentry	
25	Warranty:i. Warranty period shall be from date of installation of Goods at the NIT Durgapur site of	
	 installation. The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the contract. If for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall at its discretion make such changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in order to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests. The warranty should be comprehensive on site. ii. The Purchaser shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall immediately within in 02 days arrange to repair or replace the defective goods or parts thereof free of cost at the ultimate destination. The Supplier shall take over the replaced parts/goods at the time of their replacement. No claim whatsoever shall lie on the Purchaser for the replaced parts/goods thereafter. The period for correction of defects in the warranty period is 02 days. If the supplier having been notified fails to remedy the defects within 02 days, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expenses and without prejudice to any other rights, which the purchaser may have against the supplier under the contract. 	
	iii. The warranty period should be clearly mentioned. The maintenance charges (AMC) under different schemes after the expiry of the warranty may also be mentioned. The comprehensive onsite warranty will commence from the date of the satisfactory installation/commissioning of the equipment against the defect of any manufacturing, workmanship and poor quality of the components.	
	iv. After the warranty period is over, Annual Maintenance Contract (AMC)/Comprehensive Maintenance Contract (CMC) up to next two years should be started. The AMC/CMC charges will not be included in computing the total cost of the equipment, and needed to be mentioned separately.	
26	Governing Language The contract shall be written in English language. English language version of the Contract shall govern its interpretation. All correspondence and other documents pertaining to the Contract, which are exchanged by the parties, shall be written in the same language.	
27	 Notices Any notice given by one party to the other pursuant to this contract/order shall be sent to the other party in writing or by cable, FAX or e mail and confirmed in writing to the other party's address. A notice shall be effective when delivered or on the notice's effective date, whichever is later. 	
28	Taxes Suppliers shall be entirely responsible for all taxes, GST in respect of the transaction between the Purchaser and the Supplier, duties, license fees, octroy, road permits, etc., incurred until delivery of the contracted Goods to the Purchaser.	
29	Duties NIT Durgapur is exempted from paying custom duty and necessary "Custom Duty Exemption Certificate" can be issued after providing following information and Custom Duty Exemption Certificate will be issued to the shipment in the name of the Institute, (no certificate will be issued to third party): The procured product should be used for teaching, scientific and research work only.	
	a) Shipping details i.e. Master Airway Bill No. and House Airway No. (if exists)b) Forwarder details i.e. Name, Contact No., etc.	
	 NIT Durgapur is exempted from paying Excise Duty and necessary Excise Duty Exemption Certificate will be provided for which following information are required. b) Quotation with details of Basic Price, Rate, Tax & Amount on which ED is applicable c) Supply Order Copy d) Proforma-Invoice Copy. 	

	Agency Commission: Agency commission if any will be paid to the Indian agent in Rupees	
	on receipt of the equipment and after satisfactory installation. Agency Commission will not be paid in foreign currency under any circumstances. The details should be explicitly shown in Tender even in case of Nil commission. The tenderer should indicate the percentage of agency commission to be paid to the Indian agent.	
30	 Payment: (i) For imported items Payment will be made through irrevocable Letter of Credit (LC) Cash Against Documents (CAD)/Against delivery/after satisfactory installation by T.T. Letter of Credit (LC) will be established in favour of foreign Supplier after the submission of performance security. The letter of credit (LC) will be established on the exchange rates as applicable on the date of establishment. For Imports, LC will be opened for 100% FOB/CIF value. 80% of the LC amount shall be released on presentation of complete and clear shipping documents and 20% of the LC amount shall be released after the installation and demonstration of the equipment at the INST site of installation in faultless working condition for period of 60 days from the date of the satisfactory installation and subject to the production of unconditional performance bank guarantee as specified in Clause 8 of tender terms and conditions. (ii) For Indigenous supplies, 100% payment shall be made by the Purchaser against delivery, inspection, successful installation, commissioning and acceptance of the equipment at NIT Durgapur in good condition and to the entire satisfactory installation & commissioning of the goods at the destination at the exchange rate prevailing on the date of negotiation of LC documents, subject to DGS&D registration for restricted items. (iv) All the bank charges within India will be borne by the Institute and outside India will be borne by the supplier. 100% payment shall be made by the Purchaser after successful installation, commissioning of ne equipment at NIT Durgapur in good condition of LC documents, subject to DGS&D registration for restricted items. (iv) All the bank charges within India will be borne by the Institute and outside India will be borne by the supplier. 100% payment shall be made by the Purchaser after successful installation, commissioning and acceptance of the equipment at NIT Durgapur in good condition and to the entire satisfac	
31	User list: Brochure detailing technical specifications and performance, list of industrial and Educational establishments where the items enquired have been supplied must be provided. (Ref. Annexure-III)	
32	Manuals (i) Before the goods and equipment are taken over by the Purchaser, the Supplier shall supply operation and maintenance manuals. These shall be in such details as will enable the Purchaser to operate, maintain, adjust and repair all parts of the works as stated in the specifications. (ii) The Manuals shall be in the ruling language (English) in such form and numbers as stated in the contract. (iii) Unless and otherwise agreed, the goods equipment shall not be considered to be completed for the purposes of taking over until such manuals and drawing have been supplied to the Purchaser.	
33	Application Specialist : The bidder should mention in the Techno-Commercial bid the availability and names of Application Specialist and Service Engineers in the nearest regional office. (Ref. to Annexure-III)	
34	 Spare Parts The Supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier: Such spare parts as the Purchaser may elect to purchase from the Supplier, providing that this election shall not relieve the Supplier of any warranty obligations under the Contract; and In the event of termination of production of the spare parts: Advance notification to the Purchaser of the pending termination, in sufficient time to permit the Purchaser to procure needed requirements; and v. Following such termination, furnishing at no cost to the Purchaser, the blueprints, drawings and specifications of the spare parts for minimum of five years after commissioning. 	

	Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods, such as gaskets, plugs, washers, belts etc. Other spare parts and components shall be
	supplied as promptly as possible but in any case within six months of placement of order.
35	
35	Defective Equipment : If any of the equipment supplied by the bidder is found to be substandard, refurbished, un-merchantable or not in accordance with the description/specification or otherwise faulty, the purchaser will have the right to reject the equipment or its part. The prices of such equipment shall be refunded by the bidder with 18% interest if such payments for such equipment have already been made. All damaged or unapproved goods shall be returned at suppliers cost and risk and the incidental expenses incurred thereon shall be recovered from the supplier. Defective part in equipment, if found before installation and/or during warranty period, shall be replaced within 30 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges. In case supplier fails to replace above item as per above terms & conditions, NIT Durgapur may consider "Banning" the supplier.
36	Termination for Default
30	 The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part: If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the order or within any extension thereof granted by the Purchaser; or If the Supplier fails to perform any other obligation(s) under the Contract. If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract. For the purpose of this Clause: "Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition;""
	similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Supplier shall continue the performance of the Contract to the extent not terminated.
27	
37	Downtime: During the warranty period not more than 5% downtime will be permissible. For everyday exceeding permissible downtime, penalty of 1/365 of the 5% FOB value will be imposed. Downtime will be counted from the date and time of the filing of complaint with in the business hours.
38	Training of Personnel: The supplier shall be required to undertake to provide the technical training to the personnel involved in the use of the equipment at the Institute premises, immediately after completing the installation of the equipment for a minimum period of two days at the supplier's cost.
39	Disputes and Jurisdiction : Any legal disputes arising out of any breach of contract pertaining to this tender shall be settled in the court of competent jurisdiction located in Durgapur
40	Compliancy certificate : This certificate must be provided indicating conformity to the technical specifications. (Annexure-I)
41	All other terms and conditions of GFR 2017 of the Government of India will be applicable.

COMPLIANCE SHEET

(1) DESKTOP COMPUTER-A (50 Qty.)

Sl.No.	Feature	Specifications
1	Processor	Intel® 8th Generation Core i5 8500, with minimumbase frequency of 3.0 Ghz, 6 Cores , 9 MB Cache or higher
2	Chipset	Intel Q 370 Or latest
3	Motherboard	OEM Motherboard with logo embossed (no sticker)
4	Memory	8GB (For Desktop Computer-A) DDR4 RAM expandable to 64GB; Four DIMM slots; Non-ECC dual-channel up to 2666 MT/s DDR4 SDRAM
5	Hard Disk Drive	1TB HDD, 7200 RPM
6	Optical Drive	8x DVD Writer
7	Graphics	Intel Integrated 630 Graphics
8	Audio	High Definition Integrated Audio with Internal Speaker
9	Ethernet	Integrated Gigabit (10/100/1000 NIC) LAN & inbuilt wifi
10	Slots	Minimum 4 PCI/PCIe Slots with atleast 1 x PCIex16
11	Dest	(2) 3.5" Internal drive bays
11	Bays	(1) ODD bay
12	Ports	Minimum 8 USB Ports (4 USB 3.1 Gen 1, 4 USB 2.0) out of which 2 USB ports in front,(1) VGA video port; (1) HDMI Port, (1) RJ-45 network connector, (1) RS-232 serial port, 1 universal audio jack for headphone& MIC, 1 audio line in, 1 audio line out
12	Y 1 10.6	USB 104 keys keyboard (Same make as PC)
13	Keyboard/Mouse	USB 2 Button Scroll Mouse (Same make as PC)
14	Operating System	Genuine Microsoft Windows 10 Pro 64-bit
15	Security	TPM 2.0 Security Chip, SATA port disablement (via BIOS), Serial, USB enable/disable (via BIOS), Removable media write/boot control, Power-On password (via BIOS), Administrator password (via BIOS)
16	Compliance And Certification	Energy Star for the given form factor of desktop & monitor, FCC, CE, UL, Windows & Linux Certificate, ISO 9001, 14001,20001,27001 for OEM
17	Information Accessibility	Product details, specifications and brochure to be available in public domain
18	Support / Warranty	3 Years onsite warranty, Drivers should be available for download from OEM site for at least 3 years from the date of installation
19	Monitor	21.5 " LED backlit with Minimum resolution of 1920x1080 with VGA & HDMI input
20	Other	The detailed Technical specifications of the Model with images should be available to public on OEM's official website for verification.

(2) DESKTOP COMPUTER-B (50 Qty.)

S.No.	Feature	Specifications
1	Processor	Intel® 8th Generation Core i5 8500, with minimumbase frequency of 3.0 Ghz, 6 Cores , 9 MB Cache or higher
2	Chipset	Intel Q 370 Or latest
3	Motherboard	OEM Motherboard with logo embossed (no sticker)
4	Memory	16 GB (For Desktop Computer-B)DDR4 RAM expandable to 64GB; Four DIMM slots; Non-ECC dual-channel up to 2666 MT/s DDR4 SDRAM
5	Hard Disk Drive	1TB HDD, 7200 RPM
6	Optical Drive	8x DVD Writer

7	Graphics	Intel Integrated 630 Graphics
8	Audio	High Definition Integrated Audio with Internal Speaker
9	Ethernet	Integrated Gigabit (10/100/1000 NIC) LAN & inbuilt wifi
10	Slots	Minimum 4 PCI/PCIe Slots with atleast 1 x PCIex16
11	Bays	(2) 3.5" Internal drive bays
11		(1) ODD bay
12	Ports	Minimum 8 USB Ports (4 USB 3.1 Gen 1, 4 USB 2.0) out of which 2 USB ports in front,(1) VGA video port; (1) HDMI Port, (1) RJ-45 network connector, (1) RS-232 serial port, 1 universal audio jack for headphone& MIC, 1 audio line in, 1 audio line out
13	Keyboard/Mouse	USB 104 keys keyboard (Same make as PC)
15		USB 2 Button Scroll Mouse (Same make as PC)
14	Operating System	Genuine Microsoft Windows 10 Pro 64-bit
15	Security	TPM 2.0 Security Chip, SATA port disablement (via BIOS), Serial, USB enable/disable (via BIOS), Removable media write/boot control, Power-On password (via BIOS), Administrator password (via BIOS)
16	Compliance And Certification	Energy Star for the given form factor of desktop & monitor, FCC, CE, UL, Windows & Linux Certificate, ISO 9001, 14001,20001,27001 for OEM
17	Information Accessibility	Product details, specifications and brochure to be available in public domain
18	Support / Warranty	3 Years onsite warranty, Drivers should be available for download from OEM site for at least 3 years from the date of installation
19	Monitor	21.5 " LED backlit with Minimum resolution of 1920x1080 with VGA & HDMI input
20	Other	The detailed Technical specifications of the Model with images should be available to public on OEM's official website for verification.

(3) GPU based Server: (QTY - 01)

Technical Specification:

- (a) CPU: 2 x Intel Xeon Silver 4114 2.2G, 10C/20T, 9.6GT/s, 14M Cache, Turbo, HT (85W) DDR4-2400
- (b) GPU: NVIDIA Tesla V100 PCIe or equivalent 32GB Module (1 No)
- (c) Chassis with up to 8 x 2.5" SAS/SATA Hard
- (d) Memory: 192 GB (6 X 32GB) RDIMM, 2666MT/s, Dual Rank DIMM Blanks for System with 2 Processors.
- (e) 2 x 960GB SSD SATA Mix Use 6Gbps 512e in Hot-plug Drive
- (f) 3 x 4TB 7.2K RPM NLSAS 12Gbps 512e in Hot-plug Hard Drive
- (g) Monitor: 21" TFT
- (h) Compatible RAID Controller
- (i) Network Controller: Standard compliant 2 Port 10Gb Base-T + 2 Port 1Gb Base-T
- (j) I/O: DVD RW SATA Internal
- (k) Dual, Hot-plug, Redundant Power Supply,
- (1) Optical Mouse and standard Keyboard
- (m) Power Saving Active Power Controller
- (n) Ready Rails Sliding Rails with Cable Management Arm
- (o) OS: Ubuntu Canonical
- (p) Certification: UEFI, ACPI, Energy Star, Redfish API, SMBIOS
- (q) Warranty: 3Yrs onsite warranty.

(4) Intel Based Server: (QTY – 02)

SI. No.	Features	Item Specification
1	Chassis	1U Rack Mountable
2	CPU	Intel Xeon-Gold 5120 (2.2GHz/14-core/105W) FIO Processor Kit or Higher
3	CPU L3 CACHE Memory	19 MB or Higher.
4	Motherboard	Intel® C621 Series Chipset
5	Memory	24DIMM slots. 192 GB (12 nos 16GB RAM) DIMMS scalable upto 1.5 TB using DDR4 Load Reduced DIMM (LRDIMM) operating at 2600 MHz
	Memory Protection	Advanced ECC with multi-bit error protection, Online spare, mirrored memory and fast fault tolerance
6		Up to 8+2 SFF HDD/SSD or10 NVMePCIe SSD
	HDD Bays	The drive carrier should have intutive icon based display along with "DO NOT REMOVE" caution indicator that gets activated automatically in order to avoiddataloss/downtime due to wrong drive removal.
7	Hard disk drive	4 Nos 600GB SAS 12G Enterprise 10K SFF (2.5in) HDD
8		Server should support Onboard SATA software RAID controller supporting SSD/HDD and at least two M.2 drives
		In addition, server should support one of the below controllers supporting Mixed Mode which combines RAID and HBA mode,
	Controller	PCIe 3.0 based 12Gb/s SAS Raid Controller with RAID 0/1/1+0/5/50/6/60/1 Advanced Data Mirroring/10 Advanced Data Mirroring (onboard or on a PCI Express slot) or
		PCIe 3.0 based 12Gb/s SAS Raid Controller with RAID 0/1/1+0/5/50/6/60/1 Advanced Data Mirroring/10 Advanced Data Mirroring with 4GB battery backed write cache (onboard or on a PCI Express slot) Storage controller should support Secure encryption/data at rest Encryption
9	Networking features	Server should support below networking cards: 1. 1Gb 4-port network adaptors 2. 10Gb 2-port Ethernet adaptor 3. 10GBaseT 4-port Ethernet adaptor 4. 4x25Gb Ethernet adaptor 5. 10/25Gb 2-port Ethernet adaptor Infiniband Options: 40Gb dual port or 100Gb Single or Dual port Adapter 100Gb Single port Omni path adaptor
10	Interfaces	Serial - 1 Micro SD slot - 1 USB 3.0 support With Up to 5 total: 1 front, 2 internal, 2 rear, 2 internal (secure)
11	Industry Standard Compliance	ACPI 6.1, PCIe 3.0, PXE Support, WOL Support, Microsoft® Logo certifications, Energy Star, ASHRAE A3/A4, UEFI, SMBIOS, Redfish API, IPMI 2.0, SNMP v3, TLS 1.2, Active Directory v1.0
12	Operating Systems and Virtualization Software Support	Red Hat Enterprise Linux (RHEL)
13	GPU support	System should support NVIDIA's latest computational accelerators and graphics accelerators
14	Warranty	Server Warranty includes 3-Year Parts, 3-Year Labour, 3-Year Onsite support with next business day response.

Sl. No.	Features	Brief Description	
1	Processor	Intel i5 8th gen, 2.3 GHz base frequency, 8 MB cache, 4 cores	
2	Chipset	System on Chip	
3	Wireless	Integrated wireless 802.11 b/g/n / ac with Bluetooth 4.0	
4	Memory	8GB DDR 4 RAM expandable to 16 GB	
5	Hard Disk Drive	SSD 256GB M2 SATA-3 TLC	
6	Graphics	Integrated Graphics HD 620	
7	Display	Min. 13.3" and Max. 14" diagonal LED-backlit (1366 x 768 Min. resolution)	
8	Optical Drive	Internal / External DVDRW	
9	Webcam	Minimum integrated 720p HD webcam	
10	Keyboard	Backlit spill-resistant keyboard	
11	Connectivity Interface	Integrated Ethernet 10/100/1000 NIC, Integrated wireless 802.11 b/g/n, Intel Dual Band -AC, Bluetooth 4.2	
	Ports	VGA - One(1)	
		HDMI 1.4a- One(1)	
12		Headphone / microphone Combo : One (1)	
		Power connector -One(1)	
		Minimum 3 USB 3.0 Ports with atleast 1 type C	
13	Integrated Media Card Reader	1 multi-format digital media reader	
14	Weight	not more than 2.2 Kgs with battery	
15	Security	TPM 2.0	
16	Speaker / Microphones	Integrated stereo speakers; HD audio	
16		Integrated dual array microphone	
17	Battery	Internal battery with minimum 6 Hours of battery back-up time	
18	Operating System	Genuine Windows 10 Pro	
19	OS Certification	Must be certified for Windows & DOS	
20	Warranty	3 Year Onsite Warranty	
21	AC Adapter	Standard Indian Adaptor	
22	Industry Standard Certifications	UL, FCC Compliance, Energy Star	

(5) Laptop/ Notebook Computer (QTY - 05)

(6) Double Conversion On-Line (1Qty)

Technical Specification		Complied Yes/No	Deviations if any
UPS Topology	Double Conversion On-Line		
Power Rating (VA / Watts)	16 kW / 20 kVA		
Form Factor	Rack/Tower		
	Output parameter		·
Output Power Capacity	16 kW / 20 kVA		
Max Configurable Power	16 kW / 20 kVA		
Nominal Output Voltage	230V		
Output Voltage Note	Configurable for 400 or 415V 3 Phase nominal output voltage		
Efficiency at Full Load	94.00%		
Output Voltage Distortion	Less than 3%		
Output Frequency (sync to mains)	50/60 Hz +/- 3 Hz user adjustable +/- 0.1		

NITD/CC/COMPUTERS/2019/02 Page 22 of 27

Other Output Voltages	2202404,00,415	1 1 1
Crest Factor	03:01	
Waveform Type	Sine wave	
Output Connections	(1) Hard Wire 3-wire $(H N + G)$,	+ +
	Terminal based	
	(4) IEC 320 C13	
	(4) IEC 320 C19	
	(4) IEC Jumpers	
Bypass	Internal Bypass (Automatic and	
antional	Manual) Input 3 phase output 3 phase/Input 3	
optional	Phase Output 1 Phase/Input 1 Phase	
	Output 1 Phase	
DC Bus Voltage	384V DC Bus /32 Nos of Battery	
	Input Parameter	<u> </u>
Nominal Input Voltage	230V	
Input Frequency	40 - 70 Hz (auto sensing)	
Input Connections	Hard Wire 3 wire (1PH+N+G)	
	Hard Wire 5-wire $(3PH + N + G)$	
Input voltage range for main operations	160 - 280V	
Other Input Voltages	2202404,00,415	
Maximum Input Current	115A	
Input Breaker Capacity	125.0 A	
Communications & Management		
Interface Port(s)	DB-9 RS-232,RJ-45 10/100 Base-T,	
	Smart-Slot	
Pre InstalledSmartSlot [™] Interface Quantity	SNMP card inbuilt in UPS	
Control panel	Multi-function LCD status and control console	
Audible Alarm	Audible and visible alarms prioritized	
	by severity	
Emergency Power Off (EPO)	Yes	
	Environmental	
Operating Environment	0 - 40 °C	
Operating Relative Humidity	0 - 95%	
Operating Elevation	0-3000 meters	
Storage Temperature	-15 - 45 °C	
Storage Relative Humidity	0 - 95%	
Storage Elevation	0-15000 meters	
Audible noise at 1 meter from surface of unit	59.00 dBA	
Online Thermal Dissipation	2216.00 BTU/hr	
coating	conformal coating on PCB for harsh environment and humidity	
Efficiency	94%	+
Efficiency	Conformance	
Regulatory Approvals	EN/IEC 62040-2,EN/IEC 62040-1-1	
Standard Warranty	2 years repair or replace, optional on-	+
······································	site warranties available, optional	
	extended warranties available	
Quality	ISO 9001, ISO 14001, OHSAS 18001	
Toll Free no	24*7*365 days Toll free No available	
	60 Min Battery Back up	
Battery Type	Maintenance - free sealed Lead-Acid	
	battery with suspended electrolyte:	
Nos. of Battery	Leak-proof. 32 Nos. 12V X 65ah	+ +
Battery Make	Rocket / Quanta / Exide	+ +
Total VAH	24960VAH	+
10441 1/111	21700 1111	

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

Signature of Bidder with date

Name:

Designation:

Organization Name:

Contact No. :

E-mail Id:

<<Organization Letter Head>>

DECLARATION SHEET

We, _______ hereby certify that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification.

This is certified that our organization has been authorized (Copy attached) by the OEM to participate in Tender.Wefurther certified that our organization meets all the conditions of eligibility criteria laid down in this tender document. Moreover, OEM has agreed to support on regular basis with technology / product updates and extend support for the warranty.

The prices quoted in the financial bids are subsidized due to academic discount given to NIT Durgapur.

We, further specifically certify that our	NAME & ADDRESS OF THE Vendor/
organization has not been Black Listed/De	Manufacturer / Agent
Listed or put to any Holiday by	
anyInstitutional Agency/ Govt. Department/	
Public Sector Undertaking in the last three	
years.	
Phone No.:	
Fax	
E-mail	
Contact Person Name	
Mobile Number	
TIN Number	
PAN Number	
(In case of on-line payment of Tender	
Fees) UTR No. (For Tender Fee)	
(In case of on-line payment of EMD) UTR No.	
(For EMD)	

(Signature of the Bidder with date)

Name:

LIST OF GOVT. ORGANIZATION/DEPTT

List of Government Organizations for whom the Bidder has undertaken such instrument during last fiveyears (must be supported with work orders)				
Sl. No.	Name of the organization with address	Name of Contact Person	Contact No.	

Name	Name of application specialist / Service Engineer who have the technical competency to handle and support the quoted product during the warranty period.				
Sl. No.	Name of the organization with address	Name of Contact Person	Contact No.		

Signature of Bidder with date

Name:

Designation:

Organization Name:

Contact No. :

E-mail Id:

SUBMISSION OF BID

The Online bids (complete in all respect) must be uploaded online in**two** Envelops as explained below:

Envelope – 1 (Following documents to be provided as single PDF file)				
Sl. No.	Documents	Content	File Types	
1	TECHNICAL	Compliance Sheet as per Annexure – I	.pdf	
2	BID	Organization Declaration Sheet as per Annexure - II	.pdf	
3		List of organizations/ clients where the same products .pdf		
		have been supplied (in last two years) along with their		
		Contact number(s). (Annexure-III)		
4		Technical supporting documents in support of all claims	.pdf	
Envelope – 2				
Sl. No.	TYPES	Content	File Types	
1	Financial Bid	Price bid should be submitted in .xls format	.xls	